P & C TOOL DISPLAYS

High Quality Tools



Complete tool department on revolving stand. Tools carefully selected from most complete mechanics hand tool line.

Self-service, eye-attracting, convenience-buying display. Each tool in easy-buying range. Clear pricing and shadow marking keeps stock straight. Colorful—yellow, white and blue.

JET 350

Width 45 inches. Height 6 feet.

Contains the following tools:

Quan.	Tool No.	Type and Size	▲Each
1	F1147G (9)	Tool Set	$2.39
		Punches and Chisels	
2	F1148G (10)	1/4 in. Cold Chisel	.59
2	F1149G (11)	5/16 in. Cold Chisel	.69
2	F1150G (12)	3/8 in. Cold Chisel	.75
1	F1151G (12A)	7/16 in. Cold Chisel	.89
2	F1152G (13)	1/2 in. Cold Chisel	1.05
2	F1153G (14)	5/8 in. Cold Chisel	1.19
2	F1154G (15)	3/4 in. Cold Chisel	1.39
1	F1155G (17)	3/4 in. Cold Chisel	2.05
1	F1156G (18)	7/8 in. Cold Chisel	2.55
1	F1157G (19)	1 in. Cold Chisel	2.65
2	F1158G (20)	1/4 in. Center Punch	.49
2	F1159G (21)	5/16 in. Center Punch	.49
2	F1160G (22)	3/8 in. Center Punch	.59
2	F1161G (23)	1/2 in. Center Punch	.79
1	F1162G (24)	5/8 in. Center Punch	.89
1	F1163G (27)	1/4 in. Prick Punch	.49
1	F1164G (28)	5/16 in. Prick Punch	.59
1	F1165G (29)	3/8 in. Prick Punch	.65
1	F1166G (30)	1/4 in. Cape Chisel	.69
1	F1167G (31)	5/16 in. Cape Chisel	.79
1	F1168G (32)	3/8 in. Cape Chisel	.95
1	F1169G (33)	1/2 in. Cape Chisel	.95
1	F1170G (34)	5/8 in. Cape Chisel	1.15
1	F1171G (40)	1/4 in. Diamond Chisel	.65
1	F1172G (41)	5/16 in. Diamond Chisel	.69
1	F1173G (42)	3/8 in. Diamond Chisel	.79
1	F1174G (43)	1/2 in. Diamond Chisel	.89
1	F1175G (50)	1/4 in. Round Nose Chisel	.65
1	F1176G (51)	5/16 in. Round Nose Chisel	.79
1	F1177G (52)	3/8 in. Round Nose Chisel	.89
1	F1178G (53)	1/2 in. Round Nose Chisel	1.05
1	F1179G (58)	1/4 in. Pin Punch	.65
2	F1180G (60)	1/4 in. Pin Punch	.65
2	F1181G (61)	5/16 in. Pin Punch	.75
2	F1182G (62)	5/16 in. Pin Punch	.75
2	F1183G (63)	3/8 in. Pin Punch	.75
2	F1184G (64)	7/16 in. Pin Punch	.79
1	F1185G (64-1)	1/2 in. Pin Punch	.95
1	F1186G (66)	3/8 in. Starter Punch	.69
1	F1187G (67)	1/2 in. Pin Punch	.85
1	F1188G (70)	1/4 in. Drift Punch	.79
1	F1189G (71)	5/16 in. Long Taper Punch	.89
2	F1190G (72)	3/8 in. Long Taper Punch	.99
2	F1191G (73)	7/16 in. Long Taper Punch	1.05
2	F1192G (74)	1/2 in. Long Taper Punch	1.15
1	F1194G (75)	5/8 in. Drift Punch	1.25
1	F1195G (76)	3/4 in. Drift Punch	1.45
1	F1196G (88)	5/8 in. Aligning Punch	2.09
1	F1197G (92)	3/4 in. Rivet Shear Chisel	2.15

Quan.	Tool No.	Type and Size	▲Each
		Bars	
1	F1198G (101)	1/2 in. Lining Up	$2.09
1	F1209G (102)	5/8 in. Lining Up	3.15
1	F1210G (103)	3/4 in. Lining Up	4.19
		Ignition Wrenches	
1	F7238G (130)	13/64x15/64 in.	.99
1	F7239G (131)	15/64x13/64 in.	.99
1	F7240G (132)	7/32x1/4 in.	.99
1	F7241G (133)	1/4x7/32 in.	.99
1	F7242G (134)	9/32x5/16 in.	.99
1	F7243G (135)	5/16x9/32 in.	.99
1	F7244G (136)	11/32x3/8 in.	.99
1	F7245G (137)	3/8x11/32 in.	.99
		Offset Screwdrivers	
1	F6838G (164)	1/4 in. Double End	.89
1	F6839G (165)	5/16 in. Double End	1.05
1	F6840G (166)	3/8 in. Double End	1.05
		1/4 inch Drive	
1	F7246G (0200A)	12-piece Socket Set	9.69
1	F7247G (0206)	3/16 in. 6-point	.65
1	F7248G (0207)	7/32 in. 6-point	.65
1	F7249G (0208)	1/4 in. 6-point	.65
1	F7250G (0208S)	1/4 in. 8-point	.69
1	F7251G (0209)	9/32 in. 6-point	.65
1	F7252G (0210)	5/16 in. 6-point	.65
1	F7253G (0210S)	5/16 in. 8-point	.69
1	F7254G (0211)	11/32 in. 6-point	.65
1	F7255G (0212)	3/8 in. 6-point	.55
1	F7256G (0212S)	3/8 in. 8-point	.69
1	F7257G (0214)	7/16 in. 6-point	.65
1	F7258G (0216)	1/2 in. 12-point	.65
1	F7259G (0237)	Phillips No. 1 S.D., 1 in.	1.55
1	F7260G (0237L)	Phillips No. 1 S. D., 2 in.	1.59
1	F7261G (0238)	Phillips No. 2 S. D., 1 in.	1.59
1	F7262G (0238L)	Phillips No. 2 S. D., 2 in.	1.59
1	F7263G (0244)	3/16x.030 in. S. D.	1.35
1	F7264G (0245)	1/4x.030 in. S. D.	1.35
1	F7265G (0246)	Reversible Ratchet	4.15
1	F7266G (0247)	3 1/2 in. Extension	.99
1	F7267G (0248)	6 in. Extension	1.19
1	F7268G (0251)	5 9/16 in. Flex Handle	2.55
1	F7269G (0252)	Universal Joint	2.45
1	F7270G (0253)	Sliding T-Handle	1.35
1	F7271G (0259)	Spinner Handle	1.45
1	F7272G (0271)	Adaptor, 15/16 in. long	1.09
1	F7273G (0272)	Adaptor, 15/16 in. long	.95
1	F7274G (0280)	16 in. Speeder Handle	2.45

www.roseantiquetools.com

P & C TOOL DISPLAYS—Continued

Screwdrivers

Quan.	Tool No.		Type and Size	▲Each
2	F6799G	(400)	Keyring	$0.25
2	F6800G	(402)	1/8 in. Round x 2 1/2 in. Plastic	.75
2	F6801G	(404)	1/8 in. Round x 4 1/2 in. Plastic	.85
1	F6802G	(442)	1/8 in. Square x 2 1/2 in. Plastic	.65
2	F6803G	(483)	5/32 in. Round x 5 1/8 in. Plastic	1.45
2	F6804G	(501)	3/16 in. Round x 1 in. Plastic	.75
2	F6805G	(504)	3/16 in. Round x 4 in. Plastic	.99
2	F6806G	(508)	3/16 in. Round x 7 1/2 in. Plastic	1.15
2	F6807G	(523)	Phillips No. 1 x 3 in. Wood	.89
1	F6808G	(544)	3/16 in. Square x 4 in. Plastic	.85
1	F6809G	(548)	3/16 in. Square x 7 1/2 in. Plastic	.95
1	F6810G	(551)	3/16 in. Round x 1/2 in. Wood	1.09
2	F6811G	(553)	3/16 in. Round x 2 1/2 in. Wood	1.09
1	F6812G	(559)	3/16 in. Round x 9 in. Wood	1.59
2	F6813G	(573)	Phillips No. 1 x 3 in. Plastic	1.29
2	F6814G	(584)	3/16 in. Round x 5 7/8 in. Plastic	1.45
2	F6815G	(601)	1/4 in. Square x 1 1/2 in. Plastic	.89
2	F6816G	(604)	1/4 in. Square x 4 in. Plastic	1.15
2	F6817G	(609)	1/4 in. Square x 9 in. Plastic	1.35
2	F7315G	(624)	Phillips No. 2 x 4 in. Wood	.95
1	F6818G	(634)	1/4 in. Round x 4 in. Plastic	1.25
2	F6819G	(654)	1/4 in. Round x 4 1/4 in. Wood	1.29
2	F6820G	(660)	1/4 in. Round x 9 1/2 in. Wood	1.69
2	F6821G	(670)	Phillips No. 2 Stubby Plastic	1.09
2	F6822G	(674)	Phillips No. 2 x 4 in. Plastic	1.45
2	F6823G	(685)	1/4 in. Round x 6 1/8 in. Plastic	1.79
2	F6824G	(706)	5/16 in. Square x 6 in. Plastic	1.55
1	F6825G	(710)	5/16 in. Square x 10 in. Plastic	1.69
1	F6826G	(726)	Phillips No. 3 x 6 in. Wood	1.15
1	F6827G	(736)	5/16 in. Round x 6 in. Plastic	1.69
1	F6828G	(756)	5/16 in. Round x 6 in. Wood	1.85
1	F6829G	(760)	5/16 in. Round x 10 in. Wood	1.89
1	F6830G	(776)	Phillips No. 3 x 6 in. Plastic	1.79
1	F6831G	(786)	5/16 in. Clutch Head Plastic	2.19
1	F6832G	(808)	3/8 in. Square x 8 in. Plastic	1.89
1	F6833G	(812)	3/8 in. Square x 12 in. Plastic	2.69
1	F6834G	(816)	3/8 in. Square x 16 in. Plastic	3.35
1	F6835G	(828)	Phillips No. 4 x 8 in. Wood	1.69
1	F6836G	(838)	3/8 in. Round x 8 in. Plastic	2.09
1	F6837G	(878)	Phillips No. 4 x 8 1/2 in. Plastic	2.19

Ratcheting Box Wrenches

1	F8140G	(1192)	3/8x7/16 in.	3.45
1	F8141G	(1193)	1/2x9/16 in.	4.25
1	F8142G	(1194)	5/8x11/16 in.	4.55
1	F8143G	(1195)	3/4x7/8 in.	5.15

Pliers

	F8144G	(1201)	5 in. Thin Jaw Combination	1.55
2	F8145G	(1202)	6 in. Thin Jaw Combination	1.59
1	F8146G	(1203)	7 in. Bent Nose Combination	1.99
1	F8147G	(1204)	4 1/2 in. Diagonal Cutting	2.79
2	F8148G	(1206)	6 in. Diagonal Cutting	3.49
1	F8149G	(1207)	7 in. Diagonal Cutting	3.85
2	F8150G	(1209)	7 in. Lap Joint Cutting	3.39
2	F8151G	(1226)	6 in. Needle Nose	3.45
1	F8152G	(1227)	8 in. Duck Bill	3.15
1	F8153G	(1234)	8 in. Multi-Leverage	3.29
1	F8154G	(1235)	4 1/2 in. Slip Joint Ignition	1.85
1	F8155G	(1239)	8 in. Long Nose Wire	3.39
1	F8156G	(1240)	9 1/2 in. Heavy Water Pump	2.85
2	F8157G	(1241)	9 1/2 in. Water Pump	2.15
2	F8158G	(1243)	9 1/2 in. Multi-Groove	3.15
1	F8159G	(1246)	6 in. Side Cutting Slip Joint Comb.	2.25
1	F8160G	(1257)	7 in. HD Universal	1.79
1	F8161G	(1260)	6 in. Telephone	2.09
1	F8162G	(1266)	6 in. Lineman's Side Cut	3.55
1	F8163G	(1268)	8 in. Lineman's Side Cut	4.85
2	F8164G	(1275)	5 in. Combination	1.19
2	F8165G	(1276)	6 in. Combination	1.39
2	F8166G	(1278)	8 in. Combination	1.85
1	F8167G	(1280)	10 in. Slip Joint Combination	2.65
1	F8168G	(1291)	8 in. Lever Wrench	2.65

Snips

1	F8169G	(1303S)	Multi-Lever, Straight	4.75
1	F8170G	(1303L)	Multi-Lever, Left	4.75
1	F8171G	(1303R)	Multi-Lever, Right	4.75
1	F8172G	(1307)	Duckbill, 7 in.	2.79
1	F8174G	(1310)	Duckbill, 10 in.	3.49
1	F8175G	(1312)	Duckbill, 12 in.	4.49

Snips

Quan.	Tool No.		Type and Size	▲Each
1	F8176G	(1317)	Straight, 7 in.	$2.49
1	F8177G	(1320)	Straight, 10 in.	3.29
1	F8178G	(1322)	Straight, 12 in.	4.25
1	F8179G	(1330)	Combination, 10 in.	3.65
1	F8180G	(1332)	Combination, 12 in.	4.59

Adjustable Wrenches

1	F8181G	(1704)	4 in.	2.49
1	F8186G	(1704S)	4 in., Semi-finish	1.95
2	F8187G	(1706)	6 in.	2.55
2	F8188G	(1706S)	6 in., Semi-finish	1.99
2	F8189G	(1708)	8 in.	2.95
2	F8191G	(1708S)	8 in., Semi-finish	2.39
2	F8192G	(1710)	10 in.	3.75
2	F8194G	(1710S)	10 in., Semi-finish	2.99
2	F8195G	(1712)	12 in.	5.49
2	F8196G	(1712S)	12 in., Semi-finish	4.45
1	F8198G	(1716S)	16 in., Semi-finish	7.39

Pipe Wrenches

1	F7895G	(1806)	6 in. Stillson	1.95
2	F7896G	(1808)	8 in. Stillson	2.25
2	F7897G	(1810)	10 in. Stillson	2.89
2	F7898G	(1814)	14 in. Stillson	3.95
2	F7899G	(1818)	18 in. Stillson	5.59
1	F7900G	(1824)	24 in. Stillson	9.75
1	F7901G	(1806HD)	6 in. Heavy Duty	2.69
1	F7902G	(1808HD)	8 in. Heavy Duty	3.15
1	F7903G	(1810HD)	10 in. Heavy Duty	4.15
1	F7904G	(1814HD)	14 in. Heavy Duty	5.55
1	F7906G	(1818HD)	18 in. Heavy Duty	7.95
1	F7905G	(1824HD)	24 in. Heavy Duty	12.49

Box Wrenches

2	F8199G	(2514)	3/8x7/16 in.	1.55
2	F8200G	(2516)	7/16x1/2 in.	1.55
2	F8201G	(2518)	1/2x9/16 in.	1.55
2	F8202G	(2520)	9/16x5/8 in.	1.79
1	F8203G	(2522)	5/8x11/16 in.	2.35
1	F8204G	(2528)	3/4x7/8 in.	2.65
1	F8205G	(2529)	13/16x7/8 in.	2.65
1	F8206G	(2532)	15/16x1 in.	4.79
1	F8207G	(2536)	1 1/16x1 1/8 in.	5.25

Box and Open End Wrenches

2	F8209G	(2708)	1/4 in.	1.15
2	F8210G	(2710)	5/16 in.	1.35
2	F8211G	(2712)	3/8 in.	1.45
2	F8212G	(2714)	7/16 in.	1.69
2	F8213G	(2716)	1/2 in.	1.79
2	F8214G	(2718)	9/16 in.	1.89
2	F8215G	(2720)	5/8 in.	2.09
2	F8216G	(2722)	11/16 in.	2.35
2	F8217G	(2724)	3/4 in.	2.49
1	F8218G	(2726)	13/16 in.	3.15
1	F8219G	(2728)	7/8 in.	3.39
1	F8220G	(2730)	15/16 in.	3.75
1	F8221G	(2732)	1 in.	4.09
1	F8222G	(2734)	1 1/16 in.	4.89
1	F8223G	(2736)	1 1/8 in.	5.85
1	F8224G	(2740)	1 1/4 in.	6.89
1	F8225G	(2742)	1 5/16 in.	7.69
1	F8226G	(2744)	1 3/8 in.	8.15
1	F8227G	(2746)	1 7/16 in.	9.25

Open End Wrenches

2	F8228G	(2810)	1/4x5/16 in.	.89
2	F8229G	(2812)	5/16x3/8 in.	1.05
2	F8230G	(2814)	3/8x7/16 in.	1.15
2	F8231G	(2816)	7/16x1/2 in.	1.19
2	F8232G	(2818)	1/2x9/16 in.	1.35
2		(2819)	1/2x19/32 in.	1.35
2	F8233G	(2820)	9/16x5/8 in.	1.55
1	F8234G	(2821)	19/32x11/16 in.	1.89
1	F8235G	(2822)	5/8x11/16 in.	1.89
1	F8236G	(2824)	5/8x3/4 in.	1.89
1	F8237G	(2825)	11/16x3/4 in.	2.09
1	F8238G	(2828)	3/4x7/8 in.	2.35
1	F8240G	(2829)	13/16x7/8 in.	2.55
1	F8241G	(2832)	15/16x1 in.	3.55
1	F8242G	(2916)	7/16x1/2 in. Tappet	1.79
1	F8243G	(2918)	1/2x9/16 in. Tappet	1.89

www.roseantiquetools.com

P & C TOOL DISPLAYS—Continued

3/8 inch Drive

Quan.	Tool No.		Type and Size	▲Each
1	F8244G	(3009S)	9/32 in. Square Socket	$0.89
1	F8245G	(3010)	5/16 in. 6-point	.75
1	F8246G	(3012)	3/8 in. 12-point	.75
1	F8247G	(3014)	7/16 in. 12-point	.75
1	F8248G	(3016)	1/2 in. 12-point	.75
1	F8249G	(3018)	9/16 in. 12-point	.75
1	F8250G	(3020)	5/8 in. 12-point	.79
1	F8255G	(3022)	11/16 in. 12-point	.85
1	F8256G	(3024)	3/4 in. 12-point	.85
1	F8258G	(3028)	7/8 in. 12-point	.99
1	F8259G	(3071)	Adaptor, 1 3/8 in.	1.35
1	F8260G	(3072)	Adaptor, 1 1/8 in.	1.35
1	F8261G	(3114)	7/16 in. 12-point	.95
1	F8262G	(3116)	1/2 in. 12-point	.95
1	F8263G	(3118)	9/16 in. 12-point	.99
1	F8269G	(3120)	5/8 in. 12-point	1.09
1		(3122)	11/16 in. 12-point	1.15
1	F8270G	(3124)	3/4 in. 12-point	1.29
1	F8271G	(3126HP)	3/16 in. S. P. Socket	1.69
1	F8272G	(3202)	3 in. Extension	1.35
1	F8273G	(3203)	8 in. Extension	1.69
1	F8274G	(3205)	12 in. Extension	2.05
1	F8275G	(3206)	18 1/2 in. Extension	2.69
1	F8402G	(3208)	Universal Joint	2.69
1	F8403G	(3209)	Reversible Ratchet	5.39
1	F8404G	(3211)	5/16 in. Bit x 2 1/2 in. S. D.	1.59
1	F8405G	(3215)	18 in. Speed Handle	2.59
1	F8406G	(3230)	7 1/2 in. Flex Handle	3.49
1	F8407G	(3260)	7 1/2 in. Sliding T	2.19
1	F8408G	(3312)	3/8 in. 12-point Universal Socket	2.59
1	F8409G	(3314)	7/16 in. 12-point Universal Socket	2.59
1	F8410G	(3316)	1/2 in. 12-point Universal Socket	2.59
1	F8411G	(3318)	9/16 in. 12-point Universal Socket	2.59
1	F8412G	(3320)	5/8 in. 12-point Universal Socket	2.59
1	F8413G	(3322)	11/16 in. 12-point Universal Socket	3.05
1	F8417G	(3324)	3/4 in. 12-point Universal Socket	3.05

1/2 inch Drive

2	F6841G	(6012)	3/8 in. 12-point Socket	.85
2	F6842G	(6014)	7/16 in. 12-point	.85
2	F6843G	(6016)	1/2 in. 12-point	.85
2	F7318G	(6018)	9/16 in. 12-point	.85
1	F6844G	(6019)	19/32 in. 12-point	.85
2	F6845G	(6020)	5/8 in. 12-point	.85
2	F6846G	(6021)	21/32 in. 12-point	.95
2	F6847G	(6022)	11/16 in. 12-point	.95
2	F6848G	(6024)	3/4 in. 12-point	.99
1	F6849G	(6025)	25/32 in. 12-point	1.05
2	F6850G	(6026)	13/16 in. 12-point	1.09
2	F6851G	(6028)	7/8 in. 12-point	1.09
1	F6852G	(6029)	29/32 in. 12-point	1.25
2	F6853G	(6030)	15/16 in. 12-point	1.25
1	F6854G	(6031)	31/32 in. 12-point	1.25
2	F6855G	(6032)	1 in. 12-point	1.25
2	F6856G	(6034)	1 1/16 in. 12-point	1.39
2	F6857G	(6036)	1 1/8 in. 12-point	1.59
1	F6858G	(6038)	1 3/16 in. 12-point	1.69
1	F6859G	(6040)	1 1/4 in. 12-point	1.85
1	F6860G	(6071)	Adaptor, 1 7/8 in.	2.19
1	F6861G	(6072)	Adaptor, 1 9/16 in.	1.69
1	F6862G	(6076)	Drag Link Adjuster	1.35
1	F6863G	(6082)	3/8 in. 8-point Socket	1.05
1	F6864G	(6084)	7/16 in. 8-point	1.05
1	F6865G	(6086)	1/2 in. 8-point	1.05
1	F6866G	(6088)	9/16 in. 8-point	1.05
1	F6867G	(6090)	5/8 in. 8-point	1.09
1	F6868G	(6092)	11/16 in. 8-point	1.19
1	F6869G	(6094)	3/4 in. 8-point	1.39
1	F6870G	(6096)	13/16 in. 8-point	1.55
1	F6871G	(6098)	7/8 in. 8-point	1.69
1	F6872G	(6116)	1/2 in. 12-point Extra Deep	1.59
1	F6873G	(6118)	9/16 in. 12-point Extra Deep	1.59
1	F6874G	(6120)	5/8 in. 12-point Extra Deep	1.59

1/2 inch Drive

Quan.	Tool No.		Type and Size	▲Each
1	F6875G	(6122)	11/16 in. 12-point Extra Deep	$1.59
1	F6876G	(6124)	3/4 in. 12-point Extra Deep	1.59
1	F6877G	(6126)	13/16 in. 12-point Extra Deep	1.69
1	F6878G	(6126HP)	13/16 in. S. P. Socket	1.69
1	F6879G	(6128)	7/8 in. 12-point Extra Deep	1.79
1	F6880G	(6130)	15/16 in. 12-point Extra Deep	1.99
1	F6881G	(6132)	1 in. 12-point Extra Deep	2.09
1	F6882G	(6134)	1 1/16 in. 12-point Extra Deep	2.09
1	F6883G	(6136)	1 1/8 in. 12-point Extra Deep	2.19
1	F6884G	(6202)	2 1/2 in. Extension	1.59
2	F6885G	(6203)	5 in. Extension	1.79
2	F6886G	(6205)	10 1/2 in. Extension	2.49
1	F6887G	(6206)	18 1/2 in. Extension	3.89
1	F6888G	(6208)	Universal Joint	3.25
2	F6889G	(6211)	Reversible Ratchet	7.49
1	F6890G	(6215)	18 1/2 in. Speed Handle	4.45
1	F6891G	(6230)	11 in. Flex Handle	5.65
1	F6892G	(6235)	15 in. Flex Handle	6.09
1	F6893G	(6238)	18 1/4 in. Flex Handle	6.39
1	F7316G	(6257)	Rotahead H-Handle	6.75
1	F6894G	(6265)	T-Handle	3.09

3/4 inch Drive

1	F7275G	(9203)	5 in. Extension	3.35
1	F7276G	(9204)	8 in. Extension	4.09
1	F7277G	(9206)	16 in. Extension	5.79
1	F7278G	(9208)	3 3/4 in. Universal Joint	9.25
1	F7279G	(9209)	20 in. Reversible Ratchet	17.25
1	F7280G	(9238)	20 in. Flex Handle	9.95
1	F7281G	(9255)	17 1/2 in. L-Handle	6.79
1	F7282G	(9265)	18 in. Sliding T-Handle	6.59
1	F7283G	(9328)	7/8 in. 12-point Socket	2.15
1	F7284G	(9330)	15/16 in. 12-point Socket	2.15
1	F7285G	(9332)	1 in. 12-point Socket	2.15
1	F7286G	(9334)	1 1/16 in. 12-point Socket	2.15
1	F7287G	(9336)	1 1/8 in. 12-point Socket	2.19
1	F7288G	(9338)	1 3/16 in. 12-point Socket	2.29
1	F7289G	(9340)	1 1/4 in. 12-point Socket	2.55
1	F7290G	(9342)	1 5/16 in. 12-point Socket	2.85
1	F7291G	(9344)	1 3/8 in. 12-point Socket	3.05
1	F7292G	(9346)	1 7/16 in. 12-point Socket	3.29
1	F7293G	(9348)	1 1/2 in. 12-point Socket	3.45
1	F7294G	(9350)	1 9/16 in. 12-point Socket	3.85
1	F7295G	(9352)	1 5/8 in. 12-point Socket	4.19
1	F7296G	(9354)	1 11/16 in. 12-point Socket	4.59
1	F7297G	(9356)	1 3/4 in. 12-point Socket	4.59
1	F7298G	(9358)	1 13/16 in. 12-point Socket	4.69
1	F7299G	(9360)	1 7/8 in. 12-point Socket	5.19
1	F7300G	(9364)	2 in. 12-point Socket	5.79
1	F7301G	(9368)	2 1/8 in. 12-point Socket	6.95

Screw Extractors

1	F7302G	(9521)	1/4 x 5/16 in.	1.05
1	F7303G	(9522)	3/8 in.	1.09
1	F7304G	(9523)	7/16 in.	1.25
1	F7305G	(9524)	1/2 in.	1.35
1	F7306G	(9525)	9/16 x 5/8 in.	1.59
1	F7308G	(9525B)	3/4 in.	2.19
1	F7307G	(9526)	9/16 in. Drill Size	2.69
1	F7309G	(9527)	1/2 in. Pipe Size	2.89
1	F7310G	(9528)	3/4 in. Pipe Size	3.25
1	F7311G	(9529)	1 in. Pipe Size	4.39

Retail Value of Tools	$1018.30
Dealer Cost of Tools	678.87
Display only	49.50
Total Dealer Cost	**X728D37**

Per Display ▲Per Display

✣**J350–G X728D37** $1018.30

One in ctn. Wt. ctn. 400 lbs.

Items marked ✣ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Schiller Park, Ill. Full freight allowed.

www.roseantiquetools.com

P & C TOOL DISPLAYS

HIGH QUALITY TOOLS



Complete hand tool department on a stand assures more profit from tool sales in any store. Puts tools at right selling height with quick size identification and speed selection. Complete shadow marking simplifies stock control. Can be used without stand on counters and in alcoves. With the stand it is an excellent floor display.

Attractive and colorful in yellow, white and distinctive blue. Ruggedly constructed. Revolves easily for maximum display. Flashing plastic beacon attracts added attention. Prices and stock numbers clearly visible.

Hand forged tools are built to withstand the hardest service for which they are designed.

ROCKET DISPLAY

Largest diameter of unit 32 inches.

Contains the following tools:

Chisels

Quan.	Tool No.	Type and Size	▲Each
1	F1148G (10)	Cold, 1/4x4 1/2 ins.	$0.59
1	F1149G (11)	Cold, 5/16x5 ins.	.69
2	F1150G (12)	Cold, 3/8x5 1/2 ins.	.75
2	F1152G (13)	Cold, 1/2x6 ins.	1.05
2	F1153G (14)	Cold, 5/8x6 1/2 ins.	1.19
2	F1154G (15)	Cold, 3/4x7 ins.	1.39
1	F1166G (30)	Cape 1/4x4 1/2 ins.	.69
1	F1167G (31)	Cape 5/16x5 1/4 ins.	.79
1	F1171G (40)	Diamond, 1/4x4 1/2 ins.	.65
1	F1172G (41)	Diamond, 5/16x5 ins.	.69
1	F1175G (50)	Round Nose, 1/4x4 1/2 ins.	.65

Punches

1	F1158G (20)	Center, 1/4x4 ins.	.49
2	F1159G (21)	Center, 5/16x4 1/2 ins.	.49
2	F1160G (22)	Center, 3/8x4 3/4 ins.	.59
1	F1161G (23)	Center, 1/2x5 ins.	.79
2	F1163G (27)	Prick, 1/4x4 1/2 ins.	.49
2	F1180G (60)	Pin, 1/4 in. 3/32 in. point, 4 1/4 ins. long	.65
2	F1181G (61)	Pin, 5/16 in. 1/8 in. point, 4 1/2 ins. long	.75
1	F1182G (62)	Pin, 5/16 in. 5/32 in. point, 5 ins. long	.75
1	F1183G (63)	Pin, 3/8 in. 3/16 in. point, 5 1/4 ins. long	.75
1	F1184G (64)	Pin, 7/16 in. 7/32 in. point, 5 1/2 ins. long	.79
1	F1187G (67)	Pin, 1/2 in. 3/16 in. point, 5 ins. long	.85
1	F1189G (71)	Long Taper, 5/16x10 ins.	.89
1	F1190G (72)	Long Taper, 3/8x10 ins.	.99
1	F1191G (73)	Long Taper, 7/16x10 ins.	1.05
1	F1192G (74)	Long Taper, 1/2x10 ins.	1.15

Ignition Wrenches

1	F7238G (130)	13/64x15/64 ins.	.99
1	F7239G (131)	15/64x13/64 ins.	.99
1	F7240G (132)	7/32x1/4 ins.	.99
1	F7241G (133)	1/4x7/32 ins.	.99
1	F7242G (134)	9/32x5/16 ins.	.99
1	F7243G (135)	5/16x9/32 ins.	.99
1	F7244G (136)	11/32x3/8 ins.	.99
1	F7245G (137)	3/8x11/32 ins.	.99

Screw Drivers

Quan.	Tool No.	Diam. in.	Blade ins.	Type	Handle	▲Each
2	F6800G (402)	1/8	2 1/2	Round	Plastic	$0.75
2	F6801G (404)	1/8	4 1/2	Round	Plastic	.85
2	F6804G (501)	3/16	1 1/4	Round	Plastic	.75
2	F6805G (504)	3/16	4	Round	Plastic	.99
1	F6806G (508)	3/16	7 1/2	Round	Plastic	1.15
1	F6811G (553)	3/16	2 1/2	Round	Wood	1.09
2	F6815G (601)	1/4	1 1/4	Square	Plastic	.89
2	F6816G (604)	1/4	4	Square	Plastic	1.15
2	F6817G (609)	1/4	9	Square	Plastic	1.35
2	F6819G (654)	1/4	4 1/4	Round	Wood	1.29
2	F6824G (706)	5/16	6	Square	Plastic	1.55
1	F6828G (756)	5/16	6	Round	Wood	1.85

Phillips Screw Drivers

Quan.	Tool No.	Size Blade	Handle	Each
2	F6813G (573)	1x3 ins.	Plastic	$1.29
1	F6807G (523)	1x3 ins.	Wood	.89
1	F6821G (670)	2 Stubby	Plastic	1.09
2	F6822G (674)	2x4 ins.	Plastic	1.45

Pliers

Quan.	Tool No.	Size, ins.	Type	Each
2	F8145G (1202)	6	Thin Jaw Combination	$1.59
2	F8148G (1206)	6	Diagonal Cutting	3.49
2	F8149G (1207)	7	Diagonal Cutting	3.85
2	F8150G (1209)	7	Lap Joint Cutting	3.39
2	F8151G (1226)	6	Needle Nose	3.45
2	F8153G (1234)	8	Multi-Purpose	3.29
2	F8157G (1241)	9 1/2	Water Pump	2.15
2	F8158G (1243)	9	Multi-Groove	3.15
2	F8164G (1275)	5	Combination	1.19
2	F8165G (1276)	6	Combination	1.39
2	F8166G (1278)	8	Combination	1.85

www.roseantiquetools.com

P & C TOOL DISPLAYS—Continued

Adjustable Wrenches

Quan.	Tool No.		Size, ins.	Type	▲Each
1	F8181G	(1704)	4	Plated Finish	$2.49
1	F8186G	(1704S)	4	Semi-Finish	1.95
2	F8187G	(1706)	6	Plated Finish	2.55
2	F8188G	(1706S)	6	Semi-Finish	1.99
2	F8189G	(1708)	8	Plated Finish	2.95
2	F8191G	(1708S)	8	Semi-Finish	2.39
2	F8192G	(1710)	10	Plated Finish	3.75
2	F8194G	(1710S)	10	Semi-Finish	2.99
2	F8195G	(1712)	12	Plated Finish	5.49
2	F8196G	(1712S)	12	Semi-Finish	4.45

Pipe Wrenches—Stillson Pattern

			Size, ins.	
1	F7895G	(1806)	6	1.95
2	F7896G	(1808)	8	2.25
2	F7897G	(1810)	10	2.89
2	F7898G	(1814)	14	3.95
2	F7899G	(1818)	18	5.59

Pipe Wrenches—Heavy Duty

1	F7901G	(1806HD)	6	2.69
1	F7902G	(1808HD)	8	3.15
1	F7903G	(1810HD)	10	4.15
1	F7904G	(1814HD)	14	5.55
1	F7906G	(1818HD)	18	7.95

Box Wrenches

1	F8199G	(2514)	3/8 x 7/16	1.55
1	F8201G	(2518)	1/2 x 9/16	1.55
1	F8203G	(2522)	5/8 x 11/16	2.35
1	F8204G	(2528)	3/4 x 7/8	2.65

Combination Wrenches—Box and Open End

1	F8210G	(2710)	5/16	1.35
2	F8211G	(2712)	3/8	1.45
2	F8212G	(2714)	7/16	1.69
2	F8213G	(2716)	1/2	1.79
2	F8214G	(2718)	9/16	1.89
2	F8215G	(2720)	5/8	2.09
1	F8216G	(2722)	11/16	2.35
1	F8217G	(2724)	3/4	2.49
1	F8218G	(2726)	13/16	3.15
1	F8219G	(2728)	7/8	3.39
1	F8220G	(2730)	15/16	3.75
1	F8221G	(2732)	1	4.09
1	F8222G	(2734)	1 1/16	4.89

Open End Wrenches

1	F8228G	(2810)	1/4 x 5/16	.89
1	F8229G	(2812)	5/16 x 3/8	1.05
2	F8230G	(2814)	3/8 x 7/16	1.15
2	F8231G	(2816)	7/16 x 1/2	1.19
2	F8232G	(2818)	1/2 x 9/16	1.35
2	F8233G	(2820)	9/16 x 5/8	1.55
1	F8236G	(2824)	5/8 x 3/4	1.89
1	F8237G	(2825)	11/16 x 3/4	2.09
1	F8238G	(2828)	3/4 x 7/8	2.35

Tappet Wrenches

1	F8242G	(2916)	7/16 x 1/2	1.79
1	F8243G	(2918)	1/2 x 9/16	1.89

Snips

Quan.	Tool No.		Size, ins.	Type	▲Each
1	F8172G	(1307)	7	Duckbill or Circular	$2.79
1	F8174G	(1310)	10	Duckbill or Circular	3.49
1	F8176G	(1317)	7	Straight or Regular	2.49
1	F8177G	(1320)	10	Straight or Regular	3.29
1	F8178G	(1322)	12	Straight or Regular	4.25

Screw Extractors

			Size, ins.	
1	F7302G	(9521)	1/4 & 5/16	1.05
1	F7303G	(9522)	3/8	1.09
2	F7304G	(9523)	7/16	1.25
1	F7305G	(9524)	1/2	1.35
1	F7306G	(9525)	9/16 x 5/8	1.59

3/8 inch Drive Sockets and Attachments

Sockets

			Size	
1	F8245G	(3010)	5/16 in. 6-point	.75
1	F8246G	(3012)	3/8 in. 12-point	.75
1	F8247G	(3014)	7/16 in. 12-point	.75
1	F8248G	(3016)	1/2 in. 12-point	.75
1	F8249G	(3018)	9/16 in. 12-point	.75
1	F8250G	(3020)	5/8 in. 12-point	.79
1	F8255G	(3022)	11/16 in. 12-point	.85
1	F8256G	(3024)	3/4 in. 12-point	.85

Attachments

1	F8272G	(3202)	3 in. Extension	1.35
1	F8273G	(3203)	8 in. Extension	1.69
1	F8403G	(3209)	Reversible Ratchet	5.39
1	F8404G	(3211)	5/16 in. Bit x 2 1/2 in. Screw Driver	1.59

1/2 inch Drive Sockets and Attachments

Sockets

1	F6842G	(6014)	7/16 in. 12-point	.85
1	F6843G	(6016)	1/2 in. 12-point	.85
2	F7318G	(6018)	9/16 in. 12-point	.85
2	F6845G	(6020)	5/8 in. 12-point	.85
2	F6846G	(6021)	21/32 in. 12-point	.95
2	F6847G	(6022)	11/16 in. 12-point	.95
2	F6848G	(6024)	3/4 in. 12-point	.99
1	F6849G	(6025)	25/32 in. 12-point	1.05
1	F6850G	(6026)	13/16 in. 12-point	1.09
1	F6851G	(6028)	7/8 in. 12-point	1.09
1	F6853G	(6030)	15/16 in. 12-point	1.25
1	F6855G	(6032)	1 in. 12-point	1.25
1	F6856G	(6034)	1 1/16 in. 12-point	1.39
1	F6857G	(6036)	1 1/8 in. 12-point	1.59
1	F6873G	(6118)	9/16 in. 12-pt. Extension Deep Socket	1.59
1	F6874G	(6120)	5/8 in. 12-pt. Extension Deep Socket	1.59
1	F6875G	(6122)	11/16 in. 12-pt. Extension Deep Socket	1.59
1	F6876G	(6124)	3/4 in. 12-pt. Extension Deep Socket	1.59
1	F6877G	(6126)	13/16 in. 12-pt. Extension Deep Socket	1.69
1	F6879G	(6128)	7/8 in. 12-pt. Extension Deep Socket	1.79
1	F6880G	(6130)	15/16 in. 12-pt. Extension Deep Socket	1.99
1	F6881G	(6132)	1 in. 12-pt. Extension Deep Socket	2.09
1	F6885G	(6203)	5 in. Extension	1.79
1	F6886G	(6205)	10 1/2 in. Extension	2.49
1	F6888G	(6208)	Universal Joint	3.25
1	F6889G	(6211)	Reversible Ratchet	7.49
1	F6893G	(6238)	18 1/4 in. Flex Handle	6.39

Retail Value of Tools $399.20
Dealer Cost of Tools 266.13
Display only for use on counter floor, or in alcove 24.95
Total Dealer Cost **X291D08**

Per Display ▲Per Display
✢R150-G **X291D08** $399.20

Packed in two packages. Wt. 157 lbs.

Items marked ✢ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Schiller Park, Ill. Full freight allowed.

www.roseantiquetools.com

P & C TOOL DISPLAYS



TWIN ROCKET

Can be used close up against walls or out in the open—on a counter, on a gondula island display, or in a tool alcove, always in high traffic locations, at eye level for easy shopping.

Creates impulse sales. Priced and shadow-marked. Display rotates easily. Attractive eye-catching colors. Stock numbers for quick, easy inventory.

Size of display 48 in. long, 16 in. wide, 30 in. high, takes less than 6 sq. ft.

Puts the tools out where your customers can see 'em, feel 'em and buy 'em.

Contains the following tools:

Chisels and Punches

Quan.	Tool No.		Type and Size	▲Each
1	F7313G	(9A)	3/16 in. Cold Chisel	$0.55
1	F1148G	(10)	1/4 in. Cold Chisel	.59
1	F1149G	(11)	5/16 in. Cold Chisel	.69
2	F1150G	(12)	3/8 in. Cold Chisel	.75
2	F1151G	(12A)	7/16 in. Cold Chisel	.89
2	F1152G	(13)	1/2 in. Cold Chisel	1.05
2	F1153G	(14)	5/8 in. Cold Chisel	1.19
2	F1154G	(15)	3/4 in. Cold Chisel	1.39
1	F1158G	(20)	1/4 in. Center Punch	.49
2	F1159G	(21)	5/16 in. Center Punch	.49
2	F1160G	(22)	3/8 in. Center Punch	.59
1	F1161G	(23)	1/2 in. Center Punch	.79
2	F1163G	(27)	1/4 in. Prick Punch	.49
1	F1166G	(30)	1/4 in. Cape Chisel	.69
1	F1167G	(31)	5/16 in. Cape Chisel	.79
1	F1171G	(40)	1/4 in. Diamond Chisel	.65
1	F1172G	(41)	5/16 in. Diamond Chisel	.69
1	F1175G	(50)	1/4 in. Round Nose Chisel	.65
2	F1180G	(60)	1/4 in. Pin Punch, 3/32 in. point	.65
2	F1182G	(61)	5/16 in. Pin Punch, 1/8 in. point	.75
1	F1182G	(62)	5/16 in. Pin Punch, 5/32 in. point	.75
1	F1183G	(63)	3/8 in. Pin Punch, 3/16 in. point	.75
1	F1184G	(64)	7/16 in. Pin Punch, 7/32 in. point	.79
1	F1187G	(67)	1/2 in. Pin Punch, 3/16 in. point	.85
1	F1189G	(71)	5/16 in. Long Taper Punch	.89
1	F1190G	(72)	3/8 in. Long Taper Punch	.99
1	F1191G	(73)	7/16 in. Long Taper Punch	1.05
1	F1192G	(74)	1/2 in. Long Taper Punch	1.15

Ignition Wrenches

1	F7238G	(130)	13/64x15/64 in.	.99
1	F7239G	(131)	15/64x13/64 in.	.99
1	F7240G	(132)	7/32x1/4 in.	.99
1	F7241G	(133)	1/4x7/32 in.	.99
1	F7242G	(134)	9/32x5/16 in.	.99
1	F7243G	(135)	5/16x9/32 in.	.99
1	F7244G	(136)	11/32x3/8 in.	.99
1	F7245G	(137)	3/8x11/32 in.	.99

Screw Drivers

2	F6800G	(402)	1/8 in. x 2 1/2 in. Plastic handle	.75
2	F6801G	(404)	1/8 in. x 4 1/2 in. Plastic Handle	.85
2	F6804G	(501)	3/16 in. x 1 1/4 in. Plastic Handle	.75
2	F6805G	(504)	3/16 in. x 4 in. Plastic Handle	.99
1	F6806G	(508)	3/16 in. x 7 1/2 in. Plastic Handle	1.15
1	F6807G	(523)	Phillips No. 1 in. x 3 in. Wood Hdle.	.89
1	F6811G	(553)	3/16 in. x 2 1/2 in. Wood Handle	1.09
2	F6813G	(573)	Phillips No. 1 in. x 3 in. Plastic Hdle.	1.29
2	F6815G	(601)	1/4 in. x 1 1/2 in. Plastic Handle	.89
2	F6816G	(604)	1/4 in. x 4 in. Plastic Handle	1.15
2	F6817G	(609)	1/4 in. x 9 in. Plastic Handle	1.35
1	F6819G	(654)	1/4 in. x 4 in. Wood Handle	1.29
1	F6821G	(670)	No. 2 Phillips Stubby, Plastic Hdle.	1.09
2	F6822G	(674)	Phillips No. 2 Plastic Handle	1.45
2	F6824G	(706)	5/16 in. x 6 in. Plastic Handle	1.55
1	F6828G	(756)	5/16 in. x 6 in. Wood Handle	1.85

Pliers

Quan.	Tool No.		Type and Size	▲Each
2	F8145G	(1202)	6 in. Thin Jaw Combination	$1.59
2	F8147G	(1204)	4 1/2 in. Diagonal Plier	2.79
2	F8148G	(1206)	6 in. Diagonal Cutting	3.49
2	F8149G	(1207)	7 in. Diagonal Cutting	3.85
2	F8150G	(1209)	7 in. Lap Joint Cutting	3.39
2	F8151G	(1226)	6 in. Needle Nose	3.45
2	F8153G	(1234)	Multi-Purpose Plier, 8 in.	3.29
2	F8157G	(1241)	9 1/2 in. Water Pump	2.15
2	F8158G	(1243)	Multiple-Groove Utility, 9 1/2 in.	3.15
2	F7317G	(1245)	9 3/4 in. Utility Plier	3.35
2	F8164G	(1275)	5 in. Combination Plier	1.19
2	F8165G	(1276)	6 in. Combination Plier	1.39
2	F8166G	(1278)	8 in. Combination Plier	1.85

Snips

1	F8172G	(1307)	Duckbill or Circular—7 in.	2.79
1	F8174G	(1310)	Duckbill or Circular —10in.	3.49
1	F8176G	(1317)	Straight or Regular—7 in.	2.49
1	F8177G	(1320)	Straight or Regular—10 in.	3.29
1	F8178G	(1322)	Straight or Regular—12 in.	4.25

Adjustable Wrenches

1	F8181G	(1704)	4 in. Plated Finish	2.49
1	F8186G	(1704S)	4 in. Semi-Finish	1.95
2	F8187G	(1706)	6 in. Plated Finish	2.55
2	F8188G	(1706S)	6 in. Semi-Finish	1.99
2	F8189G	(1708)	8 in. Plated Finish	2.95
2	F8191G	(1708S)	8 in. Semi-Finish	2.39
2	F8193G	(1710)	10 in. Plated Finish	3.75
2	F8194G	(1710S)	10 in. Semi-Finish	2.99
2	F8195G	(1712)	12 in. Plated Finish	5.49
2	F8196G	(1712S)	12 in. Semi-Finish	4.45

Pipe Wrenches

1	F7895G	(1806)	6 in. Stillson Pattern	1.95
2	F7896G	(1808)	8 in. Stillson Pattern	2.25
2	F7897G	(1810)	10 in. Stillson Pattern	2.89
2	F7898G	(1814)	14 in. Stillson Pattern	3.95
1	F7899G	(1818)	18 in. Stillson Pattern	5.59
1	F7901G	(1806HD)	6 in. Heavy Duty	2.69
1	F7902G	(1808HD)	8 in. Heavy Duty	3.15
1	F7903G	(1810HD)	10 in. Heavy Duty	4.15
1	F7904G	(1814HD)	14 in. Heavy Duty	5.55
1	F7906G	(1818HD)	18 in. Heavy Duty	7.95

Box Wrenches

1	F8199G	(2514)	3/8x7/16 in.	1.55
1	F8201G	(2518)	1/2x9/16 in.	1.55
1	F8203G	(2522)	5/8x11/16 in.	2.35
1	F8204G	(2528)	3/4x7/8 in.	2.65

www.roseantiquetools.com

P & C TOOL DISPLAYS—Continued

Combination Wrenches

Quan.	Tool No.		Type and Size	▲Each
1	F8210G	(2710)	5/16 in. Box and Open End	$1.35
2	F8211G	(2712)	3/8 in. Box and Open End	1.45
2	F8212G	(2714)	7/16 in. Box and Open End	1.69
2	F8213G	(2716)	1/2 in. Box and Open End	1.79
2	F8214G	(2718)	9/16 in. Box and Open End	1.89
2	F8215G	(2720)	5/8 in. Box and Open End	2.09
1	F8216G	(2722)	11/16 in. Box and Open End	2.35
1	F8217G	(2724)	3/4 in. Box and Open End	2.49
1	F8218G	(2726)	13/16 in. Box and Open End	3.15
1	F8219G	(2728)	7/8 in. Box and Open End	3.39
1	F8220G	(2730)	15/16 in. Box and Open End	3.75
1	F8221G	(2732)	1 in. Box and Open End	4.09
1	F8222G	(2734)	1 1/16 in. Box and Open End	4.89

Open End Wrenches

1	F8228G	(2810)	1/4x5/16 in. Open End	.89
1	F8229G	(2812)	5/16x3/8 in. Open End	1.05
2	F8230G	(2814)	3/8x7/16 in. Open End	1.15
2	F8231G	(2816)	7/16x1/2 in. Open End	1.19
2	F8232G	(2818)	1/2x9/16 in. Open End	1.35
2	F8233G	(2820)	9/16x5/8 in. Open End	1.55
1	F8236G	(2824)	5/8x3/4 in. Open End	1.89
1	F8237G	(2825)	11/16x3/4 in. Open End	2.09
1	F8238G	(2828)	3/4x7/8 in. Open End	2.35

Tappet Wrenches

1	F8242G	(2916)	7/16x1/2 in.	1.79
1	F8243G	(2918)	1/2x9/16 in.	1.89

3/8 inch Drive Sockets and Attachments

1	F8245G	(3010)	5/16 in. 6-point Socket	.75
1	F8246G	(3012)	3/8 in. 12-point Socket	.75
1	F8247G	(3014)	7/16 in. 12-point Socket	.75
1	F8248G	(3016)	1/2 in. 12-point Socket	.75
1	F8249G	(3018)	9/16 in. 12-point Socket	.75
1	F8250G	(3020)	5/8 in. 12-point Socket	.79
1	F8255G	(3022)	11/16 in. 12-point Socket	.85
1	F8256G	(3024)	3/4 in. 12-point Socket	.85
1	F8272G	(3202)	3 in. Extension	1.35
1	F8273G	(3203)	8 in. Extension	1.69
1	F8403G	(3209)	Reversible Ratchet	5.39
1	F8404G	(3211)	5/16x2 1/2 in. Screwdriver	1.59

1/2 inch Drive Sockets and Attachments

Quan.	Tool No.		Type and Size	▲Each
1	F6842G	(6014)	7/16 in. 12-point Socket	$0.85
1	F6843G	(6016)	1/2 in. 12-point Socket	.85
2	F7318G	(6018)	9/16 in. 12-point Socket	.85
2	F6845G	(6020)	5/8 in. 12-point Socket	.85
1	F6846G	(6021)	21/32 in. 12-point Socket	.95
2	F6847G	(6022)	11/16 in. 12-point Socket	.95
2	F6848G	(6024)	3/4 in. 12-point Socket	.99
1	F6849G	(6025)	25/32 in. 12-point Socket	1.05
1	F6850G	(6026)	13/16 in. 12-point Socket	1.09
1	F6851G	(6028)	7/8 in. 12-point Socket	1.09
1	F6853G	(6030)	15/16 in. 12-point Socket	1.25
1	F6855G	(6032)	1 in. 12-point Socket	1.25
1	F6856G	(6034)	1 1/16 in. 12-point Socket	1.39
1	F6857G	(6036)	1 1/8 in. 12-point Socket	1.59
1	F6873G	(6118)	9/16 in. 12-point Extra Deep Socket	1.59
1	F6874G	(6120)	5/8 in. 12-point Extra Deep Socket	1.59
1	F6875G	(6122)	11/16 in. 12-point Extra Deep Socket	1.59
1	F6876G	(6124)	3/4 in. 12-point Extra Deep Socket	1.59
1	F6877G	(6126)	13/16 in. 12-point Extra Deep Socket	1.69
1	F6879G	(6128)	7/8 in. 12-point Extra Deep Socket	1.79
1	F6880G	(6130)	15/16 in. 12-point Extra Deep Socket	1.99
1	F6881G	(6132)	1 in. 12-point Extra Deep Socket	2.09
1	F6885G	(6203)	5 in. Extension	1.79
1	F6886G	(6205)	10 1/2 in. Extension	2.49
1	F6888G	(6208)	Universal Joint	3.25
1	F6889G	(6211)	Reversible Ratchet	7.49
1	F6893G	(6238)	18 1/4 in. Flex Handle	6.39

Screw Extractors

1	F7302G	(9521)	1/4 in. and 5/16 in. Screw Extractor	1.05
1	F7303G	(9522)	3/8 in. Screw Extractor	1.09
2	F7304G	(9523)	7/16 in. Screw Extractor	1.25
1	F7305G	(9524)	1/2 in. Screw Extractor	1.35
1	F7306G	(9525)	9/16x5/8 in. Screw Extractor	1.59

Retail Value of Tools $413.16

Dealer Cost of Tools 275.44

Display only for use on counter, floor, or in alcove 34.95

Total Dealer Cost **X310D39**

Per Display		▲Per Display
✣**TR150–G**	**X310D39**	$413.16

One in ctn. Wt. ctn. 140 lbs.

Items marked ✣ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Schiller, Park Ill. Full freight allowed.

www.roseantiquetools.com

P & C TOOL DISPLAYS



COMET 71

Holds 71 top quality, nationally advertised hand tools, all neatly displayed in only 20 inches of space.

Clearly priced and shadow marked. Rotates easily.

Flexible—use it on counters, gondolas, or up against walls.

Compact unit, takes less than 3 sq. ft.

Attractive eye-catching colors.

Stock numbers for fast, easy stock control.

Puts the tools out where your customers can see 'em, feel 'em, and buy 'em.

Contains the following tools:

Quan.	Tool No.		Type and Size	▲Each
			Cold Chisels	
2	F7313G	(9A)	3/16 in. Cold Chisel, 4 1/4 in. long	$0.55
2	F1148G	(10)	1/4 in. Cold Chisel, 4 1/2 in. long	.59
1	F1149G	(11)	5/16 in. Cold Chisel, 5 1/2 in. long	.69
1	F1150G	(12)	3/8 in. Cold Chisel, 5 1/2 in. long	.75
2	F1151G	(12A)	7/16 in. Cold Chisel, 5 1/2 in. long	.89
2	F1152G	(13)	1/2 in. Cold Chisel, 6 1/2 in. long	1.05
2	F1153G	(14)	5/8 in. Cold Chisel, 6 1/2 in. long	1.19
2	F1154G	(15)	3/4 in. Cold Chisel, 7 in. long	1.39
			Center Punches	
1	F1158G	(20)	1/4 in. Center Punch, 4 in. long	.49
1	F1159G	(21)	5/16 in. Center Punch, 4 1/2 in. long	.49
2	F1160G	(22)	3/8 in. Center Punch, 4 3/4 in. long	.59
1	F1161G	(23)	1/2 in. Center Punch, 5 in. long	.79
			Prick Punch	
2	F1163G	(27)	1/4 in. Prick Punch, 4 1/2 in. long	.49
			Pin Punches	
1	F1180G	(60)	1/4 in. Pin Punch, 3/32 in. point	.65
2	F1181G	(61)	5/16 in. Pin Punch, 1/8 in. point	.75
1	F1182G	(62)	5/16 in. Pin Punch, 5/32 in. point	.75
1	F1183G	(63)	3/8 in. Pin Punch, 3/16 in. point	.69
1	F1184G	(64)	7/16 in. Pin Punch, 7/32 in. point	.75
			Taper Punches	
1	F1190G	(72)	3/8 in. Taper Punch, 10 in. long	.99
1	F1191G	(73)	7/16 in. Taper Punch, 10 in. long	1.05
1	F1192G	(74)	1/2 in. Taper Punch, 10 in. long	1.15
			Screw Drivers	
2	F6800G	(402)	1/8 in. x 2 1/2 in. Plastic Handle	.75
2	F6801G	(404)	1/8 in. x 4 1/2 in. Plastic Handle	.85
2	F6804G	(501)	3/16 in. x 1 in. Plastic Handle	.75
2	F6805G	(504)	3/16 in. x 4 in. Plastic Handle	.99
2	F6806G	(508)	3/16 in. x 7 1/2 in. Plastic Handle	1.15
2	F6807G	(523)	#1 Phillips x 3 in. Wood Handle	.89
2	F6813G	(573)	#1 Phillips x 3 in. Plastic Handle	1.29
2	F6815G	(601)	1/4 in. x 1 1/2 in. Plastic Handle	.89
2	F6816G	(604)	1/4 in. x 4 in. Plastic Handle	1.15
2	F6822G	(674)	#2 Phillips x 4 in. Plastic Handle	1.45
2	F6824G	(706)	5/16 in. x 6 in. Plastic Handle	1.55
			Pliers	
1	F8145G	(1202)	6 in. Thin Jaw Combination	1.59
2	F8147G	(1204)	4 1/2 in. Diagonal	2.79
2	F8148G	(1206)	6 in. Diagonal Cutting	3.49
2	F8150G	(1209)	7 in. Slip Joint Cutting	3.39
2	F8162G	(1226)	6 in. Needle Nose	3.45
2	F8153G	(1234)	8 in. Multi-Plier	3.29

Quan.	Tool No.		Type and Size	▲Each
			Pliers	
1	F8157G	(1241)	9 in. Water Pump	$2.15
2	F8158G	(1243)	10 in. Multi-Groove	3.15
2	F7317G	(1245)	9 3/4 in. Utility Slip Joint	3.45
2	F8164G	(1275)	5 in. Combination	1.19
2	F8165G	(1276)	6 in. Combination	1.39
2	F8166G	(1278)	8 in. Combination	1.85
			Snips	
2	F8176G	(1317)	7 in. Straight or Regular Snip	2.49
2	F8177G	(1320)	10 in. Straight or Regular Snip	3.29
			Adjustable Wrenches	
2	F8187G	(1706)	6 in. Adjustable Wrench	2.55
2	F8188G	(1706S)	6 in. Adjustable Wrench, semi-finish	1.99
2	F8189G	(1708)	8 in. Adjustable Wrench	2.95
2	F8191G	(1708S)	8 in. Adjustable Wrench, semi-finish	2.39
2	F8192G	(1710)	10 in. Adjustable Wrench	3.75
2	F8194G	(1710S)	10 in. Adjustable Wrench, semi-finish	2.99
			Pipe Wrenches	
2	F7897G	(1810)	10 in. Stillson Pattern	2.89
2	F7898G	(1814)	14 in. Stillson Pattern	3.95
			Box and Open End Wrenches	
2	F8210G	(2710)	5/16 in. Box and Open End	1.35
2	F8211G	(2712)	3/8 in. Box and Open End	1.45
2	F8212G	(2714)	7/16 in. Box and Open End	1.69
2	F8213G	(2716)	1/2 in. Box and Open End	1.79
2	F8214G	(2718)	9/16 in. Box and Open End	1.89
2	F8215G	(2720)	5/8 in. Box and Open End	2.09
			Open End Wrenches	
1	F8228G	(2810)	1/4 in. and 5/16 in.	.89
2	F8229G	(2812)	5/16 in. and 3/8 in.	1.05
2	F8230G	(2814)	3/8 in. and 7/16 in.	1.15
2	F8231G	(2816)	7/16 in. and 1/2 in.	1.19
2	F8232G	(2818)	1/2 in. and 9/16 in.	1.35
1	F8233G	(2820)	9/16 in. and 5/8 in.	1.55
			Screw Extractors	
1	F7302G	(9521)	1/4 in. x 5/16 in. Screw Extractor	1.05
2	F7303G	(9522)	3/8 in. Screw Extractor	1.09
2	F7304G	(9523)	7/16 in. Screw Extractor	1.25
1	F7305G	(9524)	1/2 in. Screw Extractor	1.35
1	F7306G	(9525)	9/16 in. x 5/8 in. Screw Extractor	1.59

Retail Value of Tools	$206.75
Dealer Cost of Tools	137.83
Rotating Display	10.00
Total Dealer Cost	**X147D83**

Per Display ▲Per Display

✣C71-G **X147D83** $206.75

One in ctn. Wt. ctn. 80 lbs.

Items marked ✣ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Schiller Park, Ill. Full freight allowed.

www.roseantiquetools.com

P & C TOOLS
SCREW DRIVERS

Special analysis alloy steel blades, heat treated and oil tempered. Highly polished bits.

Clear plastic handles with rounded top, deeply fluted and tapered near bottom with knurled tips.

Round Shank

Each			Diam., in.	Blade, ins.	Length, ins.	Wt. Box, lbs.	▲Each
F6800G	(402)	D5C0	1/8	2 1/2	5 1/4	1/2	$0.75
F6801G	(404)	D5C7	1/8	4 1/2	7 1/4	1/2	0.85
F6804G	(501)	D5C0	3/16	1 1/4	3	1/2	0.75
F6805G	(504)	D6C6	3/16	4	7 1/2	3/4	0.99
F6806G	(508)	D7C7	3/16	7 1/2	11	1	1.15
F6818G	(634)	D8C3	1/4	4	8	1 1/16	1.25
F6827G	(736)	X1D13	5/16	6	10 3/8	1 3/4	1.69
F6836G	(838)	X1D39	3/8	8	13	3	2.09

Square Shank

Each			Size Shank, in.	Blade, ins.	Length, ins.	Wt. Box, lbs.	▲Each
F6802G	(442)	D4C3	1/8	2 1/2	5 1/4	1/4	$0.65
F6808G	(544)	D5C7	3/16	4	7 3/8	3/4	0.85
F6809G	(548)	D6C3	3/16	7 1/2	10 7/8	1	0.95
F6815G	(601)	D5C9	1/4 (sq.)	1 1/2	3 7/8	1	0.89
F6816G	(604)	D7C7	1/4	4	8	1	1.15
F6817G	(609)	D9C0	1/4	9	13	1 1/2	1.35
F6824G	(706)	X1D03	5/16	6	10 1/2	2	1.55
F6825G	(710)	X1D13	5/16	10	14 1/2	2 1/2	1.69
F6832G	(808)	X1D26	3/8	8	13	3 1/2	1.89
F6833G	(812)	X1D79	3/8	12	19	5 1/2	2.69
F6834G	(816)	X2D23	3/8	16	23	6 1/2	3.35

Six in a box

For Phillips Cross-Slot Screws

Precision machined heat treated bits. Chrome plated shanks.

Clear plastic handles with rounded top, deeply fluted and tapered near bottom with knurled tips.

Each			Size Point	Blade ins.	Length, ins.	Wt. Box, lbs.	▲Each
F6813G	(573)	D8C6	1	3	6 1/2	3/4	$1.29
F6821G	(670)	D7C3	2	9/16	2 1/2	1/2	1.09
F6822G	(674)	D9C7	2	4	8	1	1.45
F6830G	(776)	X1D19	3	6	10 1/2	1 5/8	1.79
F6837G	(878)	X1D46	4	8 1/2	13 1/2	3	2.19

Six in a box

Key Ring



Handy, lightweight screw driver for the key ring. Length 2 1/4 inches.

Each			▲Each
F6799G	(400)	D1C7	$0.25

Loose. Wt. each 1/2 oz.

Wood Handle Octagon

Seasoned selected clear birch natural finish octagon handles with rounded metal caps, fastened with steel rivets.

Each			Diam., ins.	Blade, ins.	Length, ins.	Wt. Box, lbs.	▲Each
F6810G	(551)	D7C3	3/16	1 1/2	4 1/2	5/8	$1.09
F6811G	(553)	D7C3	3/16	2 1/2	6 5/8	3/4	1.09
F6812G	(559)	X1D06	3/16	9	13 1/4	1 1/16	1.59
F6819G	(654)	D8C6	1/4	4	9 1/8	1 1/2	1.29
F6820G	(660)	X1D13	1/4	9 1/2	14 1/2	1 3/4	1.69
F6828G	(756)	X1D23	5/16	6	12	2 1/2	1.85
F6829G	(760)	X1D26	5/16	10	16	3	1.89

Six in a box.

Wood Handle Phillips

For Phillips head screws, without metal cap on handle.

Phillips

Each			Blade Size	Blade ins.	Length ins.	Wt. Box lbs.	▲Each
F6807G	(523)	D5C9	1	3	6 1/4	1/2	$0.89
F7315G	(624)	D6C3	2	4	8 7/8	1 1/16	0.95
F6826G	(726)	D7C7	3	6	12	1 3/4	1.15
F6835G	(828)	X1D13	4	8	14 1/2	3	1.69

Six in a box

Plastic Handle Clutch Head

Type G design bits are precisely machined for accurate fit on screws with "Figure 8" or "Butterfly" type heads. Round chrome plated, torque tested shanks.

Each			Bit Size in.	Blade Lgth., in.	Overall Length in.	Wt. Box lbs.	▲Each
F6803G	(483)	D9C7	5/32	3 7/8	7 3/8	3/4	$1.45
F6814G	(584)	D9C7	3/16	3 7/8	7 3/8	3/4	1.45
F6823G	(685)	X1D19	1/4	4 7/8	8 7/8	1 1/4	1.79
F6831G	(786)	X1D46	5/16	4 7/8	9 3/8	1 3/4	2.19

Six in a box

Double End Offset

Blades at right angles to each other on opposite sides of handle. Rust resistant, polished, heat treated bits. Ideal for close quarters.

Each			Stock Size ins.	Length ins.	Wt. Box, lbs.	▲Each
F6838G	(164)	D5C9	1/4	4 3/4	1/2	$0.89
F6839G	(165)	D7C0	5/16	5	3/4	1.05
F6840G	(166)	D7C0	3/8	6 1/8	1 1/16	1.05

Six in a box

www.roseantiquetools.com

P & C TOOLS

CHISELS AND PUNCHES

Hot forged from special analysis alloy steel, scientifically tempered. Beveled heads. Sand blasted gray satin finish. Large octagon handles. Highly polished taper on bevel.

PUNCH & CHISEL SETS



3 Pieces
Sets consist of:
Cold Chisel No. 12
Center Punch No. 22
Starter Punch No. 66

Per Set			▲Per Set
F1147G	(9)	X1D59	$2.39

One set in box. Wt. box ½ lb.

COLD CHISELS

Each			Stock Size in.	Cut Size in.	Length ins.	Wt. Box lbs.	▲Each
F7313G	(9A)	D3C7	3/16	1/4	4 7/8	1/4	$0.55
F1148G	(10)	D3C9	1/4	9/32	5 1/8	1/2	.59
F1149G	(11)	D4C6	5/16	3/8	5 3/8	3/4	.69
F1150G	(12)	D5C0	3/8	7/16	5 1/2	1 1/8	.75
F1151G	(12A)	D5C9	7/16	1/2	6	1 1/2	.89
F1152G	(13)	D7C0	1/2	9/16	6 5/8	2	1.05
F1153G	(14)	D7C9	19/32	11/16	7	3 1/4	1.19
F1154G	(15)	D9C3	23/32	13/16	8	4 3/4	1.39
F1155G	(17)	X1D37	23/32	13/16	12	9	2.05
F1156G	(18)	X1D70	13/16	1	12	12	2.55
F1157G	(19)	X1D77	15/16	1 3/16	12	15	2.65

Six in box

CAPE CHISELS

Each			Stock Size, in.	Cut Size in.	Length ins.	Wt. box, lbs.	▲Each
F1166G	(30)	D4C6	1/4	3/16	4 1/2	1/2	$0.69
F1167G	(31)	D5C3	5/16	1/4	5 1/4	3/4	.79
F1168G	(32)	D6C3	3/8	5/16	5 3/4	1 1/8	.95
F1169G	(33)	D6C3	1/2	3/8	6 1/4	2	.95
F1170G	(34)	D7C7	5/8	7/16	7	3	1.15

Six in box

DIAMOMD POINT CHISELS

Each			Stock Size in.	Cut Size in.	Length, ins.	Wt. box, lbs.	▲Each
F1171G	(40)	D4C3	1/4	3/32	4 1/2	1/2	$0.65
F1172G	(41)	D4C6	5/16	3/16	5	3/4	.69
F1173G	(42)	D5C2	3/8	7/32	5 1/2	1 1/16	.79
F1174G	(43)	D5C9	1/2	9/32	6	2	.89

RIVET SHEAR CHISELS

Stock size ¾ in. Cut size ⅞ in. Length 12 inches.

Each			▲Each
F1197G	(92)	X1D43	$2.15

Six in Box. Wt. box 8½ lbs.

ROUND NOSE CHISELS

Each			Stock Size, in.	Cut Size in.	Length, ins.	Wt. box, lbs.	▲Each
F1175G	(50)	D4C3	1/4	3/32	4 1/2	1/2	$0.65
F1176G	(51)	D5C3	5/16	5/32	5 1/4	3/4	.79
F1177G	(52)	D5C9	3/8	3/16	5 3/4	1 1/16	.89
F1178G	(53)	D7C0	1/2	1/4	6 1/4	2	1.05

Six in box

CENTER PUNCHES

Each			Stock Size, in.	Length, ins.	Wt. box, lbs.	▲Each
F1158G	(20)	D3C3	1/4	4	1/2	$0.49
F1159G	(21)	D3C3	5/16	4 1/2	3/4	.49
F1160G	(22)	D3C9	3/8	4 3/4	1	.59
F1161G	(23)	D5C3	1/2	5	1 1/2	.79

Six in box

F1162G	(24)	D5C9	5/8	6	3	.89

Six in box

PRICK PUNCHES

Stock size 1¼ inches. Length over all 4½ inches.

Each			Stock Size, in.	Length Overall, in.	Wt. box, lbs.	▲Each
F1163G	(27)	D3C3	1/4	4 1/2	1/2	$0.49
F1164G	(28)	D3C9	5/16	5	5/8	.59
F1165G	(29)	D4C3	3/8	5 1/2	1	.65

Six in box

www.roseantiquetools.com

P & C TOOLS

PIN PUNCHES

Each			Stock Size, in.	Point Diam., in.	Point Length, ins.	Length, ins.	Wt. box, lbs.	▲Each
F1179G	(58)	D4C3	1/4	1/16	1 1/4	4 1/4	1/4	$0.65
F1180G	(60)	D4C3	1/4	3/32	1 1/4	4 1/4	1/4	.65
F1181G	(61)	D5C0	5/16	1/8	1 3/8	4 1/2	1/2	.75
F1182G	(62)	D5C0	5/16	5/32	1 3/8	5	3/4	.75
F1183G	(63)	D5C0	3/8	3/16	1 3/8	5 1/4	3/4	.75
F1184G	(64)	D5C3	7/16	7/32	2 5/8	5 1/2	1 1/8	.79
F1185G	(64-1)	D6C3	1/2	1/4	2 5/8	5 3/4	1 1/2	.95

Six in box

STARTER PUNCHES

Each			Stock Size, in.	Point Diam., in.	Point Length, ins.	Length, ins.	Wt. box, lbs.	▲Each
F1186G	(66)	D4C6	3/8	3/32	2 3/8	5	1	$0.69
F1187G	(67)	D5C7	1/2	3/16	2 3/8	5	1 1/2	.85

Six in box.

DRIFT PUNCHES

Each			Stock Size, in.	Point Diam., in.	Length, ins.	Wt. box, lbs.	▲Each
F1188G	(70)	D5C3	1/4	3/32	10	3/4	$0.79
F1189G	(71)	D5C9	5/16	1/8	10	1	.89
F1190G	(72)	D6C6	3/8	3/16	10	1 1/2	.99
F1191G	(73)	D7C0	7/16	7/32	10	2	1.05
F1192G	(74)	D7C7	1/2	1/4	10	2 3/4	1.15
F1194G	(75)	D8C3	5/8	5/16	10	4	1.25
F1195G	(76)	D9C7	3/4	3/8	10	6	1.45

Six in box

ALIGNING PUNCHES

Stock size 5/8 in. Point 3/16 in. Length 16 inches.

Each			▲Each
F1196G	(88)	X1D39	$2.09

Six in box. Wt. box 6 lbs.

PLIERS

Scientifically designed, forged from highest quality alloy steel. Deeply milled teeth oil tempered to retain sharpness, insure positive grip, tempered joint-bolts hold job-shaped jaws in perfect alignment. All have polished heads and slip-joint pliers are chrome plated against rust. Cutting edges are induction hardened against chipping and dulling. Scientifically engineered leverage and balance.

Slip Joint Combination

Shear type cutter in throat. Aligned holes near joint for precise shear cutting. Takes wire up to 1/8 inch.

Each			Length, ins.	Wt. box, lbs.	▲Each
F8164G	(1275)	D7C9	5	1/4	$1.19
F8165G	(1276)	D9C3	6	3/8	1.39
F8166G	(1278)	X1D23	8	1/2	1.85
F8167G	(1280)	X1D77	10	5 1/2	2.65

One in box

Side Cutting Slip Joint Combination

All the features of slip joint combination pliers plus durable, induction hardened side cutter and extra strong tempered bolt.

Length 6 inches

Each			▲Each
F8159G	(1246)	X1D50	$2.25

One in box. Wt. box 1/2 lb.

Thin Jaw Combination

Each			Length ins.	Wt. Each lbs.	▲Each
F8144G	(1201)	X1D03	5	1/4	1.55
F8145G	(1202)	X1D06	6	3/8	1.59

One in box

Bent Nose Thin Jaw Combination

Thin jaws offset 30° make handy nail or staple puller.

Each			▲Each
F8146G	(1203)	X1D33	$1.99

One in box. Wt. box 1/2 lb.

www.roseantiquetools.com

P & C TOOLS

PLIERS

Heavy Duty Universal



One jaw curved to grip round or irregular objects, other jaw straight with groove for gripping wire, pins or nails.

Length 7 inches

Each			▲Each
F8160G	(1257)	**X1D19**	$1.79

One in box. Wt. box 5/16 lb.

Slip Joint Ignition

Three slip joint positions allow parallel opening up to 3/8 inches.

Length 4½ inches

Each			▲Each
F8154G	(1235)	**X1D23**	$1.85

One in box. Wt. box 1¼ ozs.

Long Nose Wrench

Powerful leverage. Slender nose. Offset 20°. Holds objects in front of center.

Length 8 inches

Each			▲Each
F8155G	(1239)	**X2D26**	$3.39

One in box. Wt. box ½ lb.

Self Energizing Gear-Lock Plier



In this revolutionary plier bolt slides into slanting ear-type slots. As handles are squeezed, bolt locks in chosen slot and jaw pressure increases. Adjustment in five slots. Slim jaws, 1¾ in. opening, sharp pipe wrench teeth and powerful no-bend cutter.

Length 9¾ inches

Each			▲Each
F7317G	(1245)	**X2D23**	$3.35

One in box. Wt. box ¾ lb.

Heavy Duty Water Pump

Length 9½ inches

Each			▲Each
F8156G	(1240)	**X1D90**	$2.85

One in box. Wt. box 5/8 lb.

Medium Duty Water Pump



Length 9½ inches, 9/32 inch thick

Each			▲Each
F8157G	(1241)	**X1D43**	$2.15

One in box. Wt. box ½ lb.

Multiple Groove Utility

Five tongue and groove adjustments, plus slip joint. Grooves hold jaws securely in desired position, taking strain off bolt.

Each			Length, ins.	Wt. Each lbs.	▲Each
F7312G	(1242)	**X1D63**	7½	½	$2.45
F8158G	(1243)	**X2D10**	9½	1	3.15

One in box

Leverage Plier

Patented, three-piece compound leverage design multiplies applied pressure ten times. Non-slip jaws open 1¼ ins.

Length 8 inches

Each			▲Each
F8153G	(1234)	**X2D19**	$3.29

One in box. Wt. box 5/8 lb.

www.roseantiquetools.com

P & C TOOLS

LEVER WRENCH PLIER



Five tools in one—a powerful hand vise, clamp, adjustable wrench, pipe wrench and plier. To operate, place object to be held between jaws and turn screw at end of one handle until jaws grip the work snugly. Then squeeze the handles together. This forces the central fulcrum beyond the "in line" position and locks the jaws in the holding position with pressure up to one ton. Capacity 1½ inch.

Length 8 inches

Each			▲Each
F8168G	(1291)	**X1D77**	$2.65

One in a box. Wt. box 1 1b.

CUTTING AND SPECIAL PLIERS

Needle Nose Side Cutting



Long thin taper. Firm grip. Spring tempered jaws. Aligned perfectly.

Length 6 inches

Each			▲Each
F8151G	(1226)	**X2D30**	$3.45

One in box. Wt. box ¼ lb.

Diagonal Cutting



Heavy duty. Tremendous leverage from short powerful jaws. Perfect alignment.

Length 7 inches

Each			▲Each
F8150G	(1209)	**X2D26**	$3.39

One in box. Wt. box ½ lb.

Diagonal Cutting



Cutting edges induction hardened.

Each			Length, ins.	Wt. Each, lbs.	▲Each
F8147G	(1204)	**X1D86**	4½	¼	$2.79
F8148G	(1206)	**X2D33**	6	⅜	3.49
F8149G	(1207)	**X2D57**	7	½	3.85

One in box

Lineman's Side Cutting



Hand honed edges of induction hardened cutters are kept perfectly aligned by extremely heavy and tempered flush steel joint bolt.

Each			Length, ins.	Wt. Each, lbs.	▲Each
F8162G	(1266)	**X2D37**	6	½	$3.55
F8163G	(1268)	**X3D23**	8	1	4.85

One in box

Telephone

Excellent for manipulating wire and wiring. Heavy, flush riveted joint and shear-type wire cutter.

Length 6 inches

Each			▲Each
F8161G	(1260)	**X1D39**	$2.09

One in box. Wt. box ¼ lb.

Duck Bill

1½ inch tapered jaws and long handles give powerful leverage. Deeply milled, oil tempered teeth give extra grip. Solid riveted joint.

Length 8 inches

Each			▲Each
F8152G	(1227)	**X2D10**	$3.15

One in box. Wt. box ½ lb.

www.roseantiquetools.com

P & C TOOLS

SNIPS

Designed to give fast, smooth cuts in all types of material. Blades hot drop forged of special analysis steel and electrically heat treated and tempered. Blades designed to give uniform shearing.

Multiple-Leverage



Each			Type Cut	Length Overall, ins.	Length Cut, ins.	Wt. Each, lbs.	▲Each
F8170G	(1303L)	X3D17	Left	10½	1 7/16	¾	$4.75
F8171G	(1303R)	X3D17	Right	10½	1 7/16	¾	4.75
F8169G	(1303S)	X3D17	Straight	10½	1⅝	¾	4.75

One in box

Straight or Regular



Each			Length Cut, ins.	Length Overall, ins.	Wt. Box, lbs.	▲Each
F8176G	(1317)	X1D66	1¾	7	⅜	$2.49
F8177G	(1320)	X2D19	2½	10	⅞	3.29
F8178G	(1322)	X2D83	3	12	1½	4.25

One in box

Duckbill or Circular



Each			Length Cut, ins.	Length Overall, ins.	Wt. Box, lbs.	▲Each
F8172G	(1307)	X1D86	1¾	7	⅜	$2.79
F8174G	(1310)	X2D33	2½	10	⅞	3.49
F8175G	(1312)	X2D99	3	12	1½	4.49

One in box

Combination Pattern



Each			Length Overall, ins.	Length Cut, ins.	Wt. Each, lbs.	▲Each
F8179G	(1330)	X2D43	10	2½	1	$3.65
F8180G	(1332)	X3D06	12	3	1½	4.59

One in box

PIPE WRENCHES

Stillson Pattern

Forged from finest special analysis alloy steel. Deeply milled teeth, oil tempered. Rugged, hot-forged handle designed for powerful leverage. Tough, tempered rivet. Highest quality spring steel keeps movable jaw in engaging position. Precisely milled, burr-free threads on movable jaw. Easy turning, close meshed knurl, allows quick, sure adjustments. Faces sides of jaws, frame highly polished.

Each			Maximum Opening, ins.	Length, ins.	Wt. Box, lbs.	▲Each
F7895G	(1806)	X1D30	½	6	⅜	$1.95
F7896G	(1808)	X1D50	¾	8	¾	2.25
F7897G	(1810)	X1D93	1	10	1½	2.89
F7898G	(1814)	X2D63	1½	14	3	3.95
F7899G	(1818)	X3D73	2	18	4	5.59
F7900G	(1824)	X6D50	2½	24	7¼	9.75

One in box

Heavy Duty Pipe Wrenches



Special alloy steel. Heat-treated, precision ground teeth, tapered "I-beam" type handle. Pipe sizes on movable jaw. Light weight and perfect balance. Blue handle.

Each			Length, ins.	Wt. Each, lbs.	▲Each
F7901G	(1806HD)	X1D79	6	½	$2.69
F7902G	(1808HD)	X2D10	8	¾	3.15
F7903G	(1810HD)	X2D77	10	1½	4.15
F7904G	(1814HD)	X3D70	14	3	5.55
F7906G	(1818HD)	X5D30	18	5	7.95
F7905G	(1824HD)	X8D33	24	8½	12.49

One in box

www.roseantiquetools.com

P & C TOOLS

ADJUSTABLE WRENCHES

Forged from light special analysis alloy steel. Oil tempered at points of stress. Jaws are thin, l'ght, 22½° offset. Movable jaw is hand fitted. Four heat treated threads on screw deeply knurled, accurately mesh with movable jaw.

Full Chrome Plated

Each			Length, ins.	Maximum Opening ins.	Wt. Box, lbs.	▲Each
F8181G	(1704)	**X1D66**	4	1/2	1/8	$2.49
F8187G	(1706)	**X1D70**	6	3/4	1/4	2.55
F8189G	(1708)	**X1D97**	8	15/16	1/2	2.95
F8192G	(1710)	**X2D50**	10	1 1/8	1	3.75
F8195G	(1712)	**X3D66**	12	1 5/16	1 3/4	5.49

Semi-Finish

Each			Length, ins.	Maximum Opening ins.	Wt. Box, lbs.	▲Each
F8186G	(1704/S)	**X1D30**	4	1/2	1/8	$1.95
F8188G	(1706/S)	**X1D33**	6	3/4	3/4	1.99
F8191G	(1708/S)	**X1D59**	8	15/16	1/2	2.39
F8194G	(1710/S)	**X1D99**	10	1 1/8	1	2.99
F8196G	(1712/S)	**X2D97**	12	1 15/16	1 3/4	4.45
F8198G	(1716/S)	**X4D93**	16	1 7/8	3 1/2	7.39

One in box

ADJUSTABLE WRENCH ASSORTMENT

Clik-Stop

No buttons, no levers, no gadgets. Merely turning golden knurl clicks jaw automatically into any opening wanted, even non-standard or foreign sizes. Drop-forged from fine alloy steel. Thin head design for hard-to-get-at jobs. Highly polished chrome plated.

Colorful merchandiser makes it easy to select Clik-Stop wrenches. Base is only 5x17 ins., holds 2 each of 5 sizes—4, 6, 8, 10 and 12 inch. One additional 8 in. and 10 in. included as back-up stock.

No Charge for Merchandiser

Per Asst.		▲Per Asst.
0-1700LM-G	**X27D44**	$41.16

One asst. in ctn. Wt. ctn. 12 lbs.

OPEN STOCK

Each			Lgth., ins.	Max. Opening, ins.	Wt. Box, lbs.	▲Each
F7912G	(1704L)	**X1D66**	4	1/2	1/8	$2.49
F7913G	(1706L)	**X1D70**	6	3/4	1/8	2.55
F7914G	(1708L)	**X1D97**	8	15/16	1/2	2.95
F7915G	(1710L)	**X2D50**	10	1 1/8	1	3.75
F7916G	(1712L)	**X3D66**	12	1 5/16	1 3/4	5.49

One in box

COMBINATION WRENCHES

Drop forged from special analysis alloy steel. Oil tempered. Box end offset 15° for knuckle clearance, 12 point design. Open end at 15° angle to shank. Polished heads, satin finish long handles, protected by heavy chrome plate. Each wrench has same size on both ends.

Each			Opening ins.	Length ins.	Wt. Box lbs.	▲Each
F8209G	(2708)	**D7C7**	1/4 (6 pt.)	3	1/8	$1.15
F8210G	(2710)	**D9C0**	5/16 (12 pt.)	3 3/8	1/2	1.35
F8211G	(2712)	**D9C7**	3/8	4 1/2	1/2	1.45
F8212G	(2714)	**X1D13**	7/16	5 1/2	3/4	1.69
F8213G	(2716)	**X1D19**	1/2	6 1/4	1	1.79
F8214G	(2718)	**X1D26**	9/16	7	1 1/4	1.89
F8215G	(2720)	**X1D39**	5/8	7 3/4	1 1/2	2.09
F8216G	(2722)	**X1D57**	11/16	8 3/8	2	2.35
F8217G	(2724)	**X1D66**	3/4	9 1/8	2 1/2	2.49
F8218G	(2726)	**X2D10**	13/16	10 3/8	3	3.15
F8219G	(2728)	**X2D26**	7/8	11 1/4	3 1/2	3.39
F8220G	(2730)	**X2D50**	15/16	12 1/4	3 3/4	3.75
F8221G	(2732)	**X2D73**	1	13 3/8	5 1/4	4.09
F8222G	(2734)	**X3D26**	1 1/16	14 1/2	6 1/4	4.89
F8223G	(2736)	**X3D90**	1 1/8	15 1/2	7 1/2	5.85
F8224G	(2740)	**X4D59**	1 1/4	17	1 3/4	6.89
F8225G	(2742)	**X5D13**	1 15/16	18	2	7.69
F8226G	(2744)	**X5D43**	1 3/8	19 3/8	2 1/8	8.15
F8227G	(2746)	**X6D17**	1 7/16	20 5/8	2 1/2	9.25

One in box

OPEN END WRENCHES

Drop forged from special analysis alloy steel with thin, tapered jaws. Thin, round-edged handles. Jaw openings precisely milled for positive fit without slipping. The 15° jaw angle, by "flopping' wrench, allows continuous turning of hex nut in 30° swing.

Each			Openings, in.	Length, ins.	Wt. box, lbs.	▲Each
F8228G	(2810)	**D5C9**	1/4 and 5/16	3 1/2	1/2	$0.89
F8229G	(2812)	**D7C0**	5/16 and 5/8	4	1/2	1.05
F8230G	(2814)	**D7C7**	3/8 and 7/16	4 1/2	1/2	1.15
F8231G	(2816)	**D7C9**	7/16 and 1/2	5	3/4	1.19
F8232G	(2818)	**D9C0**	1/2 and 9/16	5 1/2	1	1.35
F8233G	(2820)	**X1D03**	9/16 and 5/8	6 1/4	1 1/4	1.55
F8234G	(2821)	**X1D26**	19/32 and 11/16	7 5/8	1/4	1.89
F8235G	(2822)	**X1D26**	5/8 and 11/16	8 1/8	5/16	1.89
F8236G	(2824)	**X1D26**	5/8 and 3/4	8	2	1.89
F8237G	(2825)	**X1D39**	11/16 and 3/4	8	2	2.00
F8238G	(2828)	**X1D57**	3/4 and 7/8	9 1/8	2 3/4	2.35
F8240G	(2829)	**X1D70**	13/16 and 7/8	9 3/4	3 1/2	2.55
F8241G	(2832)	**X2D37**	15/16 and 1	11 1/4	5 1/4	3.55

Six in box

www.roseantiquetools.com

P & C TOOLS

TAPPET WRENCHES

Special alloy steel gives extra strength to very thin, tapered jaws. Long handles keep hands away from hot manifolds, increase leverage.

Each			Openings, in.	Length, ins.	Wt. box, lbs.	▲ Each
F8242G	(2916)	X1D19	7/16 and 1/2	9	1 1/8	$1.79
F8243G	(2918)	X1D26	1/2 and 9/16	9	1 1/8	1.89

Six in box.

IGNITION WRENCHES

Forged from special analysis alloy steel. One jaw at 15°, other at 60°. Opening sizes duplicated at other angle on companion wrench.

Each			15° End, in.	60° End, in.	Length, ins.	Wt. box, lbs	▲ Each
F7238G	(130)	D6C3	13/64	15/64	3	1/8	$0.95
F7239G	(131)	D6C3	15/64	13/64	3	1/8	.95
F7240G	(132)	D6C3	7/32	1/4	3	1/8	.95
F7241G	(133)	D6C3	1/4	7/32	3	1/8	.95
F7242G	(134)	D6C3	9/32	5/16	3 1/2	1/4	.95
F7243G	(135)	D6C3	5/16	9/32	3 1/2	1/4	.95
F7244G	(136)	D6C3	11/32	3/8	3 3/4	1/2	.95
F7245G	(137)	D6C3	3/8	11/32	3 3/4	1/2	.95

Six in box

BOX WRENCHES

Flat Handle

Special alloy steel thin walls provide extra clearance. Box openings chamfered to guide wrench onto nut, bolt heads. Heads offset 15° from shank to provide knuckle clearance. Heavily chrome plated.

Each			Opening, Size, ins.	Length, ins.	Wt. box, lbs.	▲ Each
F8199G	(2514)	X1D03	3/8 and 7/16	6 1/2	3/4	$1.55
F8200G	(2516)	X1D03	7/16 and 1/2	7	1	1.55
F8201G	(2518)	X1D03	1/2 and 9/16	8	1	1.55
F8202G	(2520)	X1D19	9/16 and 5/8	8 1/2	1 1/2	1.79
F8203G	(2522)	X1D57	5/8 and 11/16	9 1/2	3 1/2	2.35
F8204G	(2528)	X1D77	3/4 and 7/8	13 1/8	5	2.65
F8205G	(2529)	X1D77	13/16 and 7/8	13 7/8	4 1/2	2.65
F8206G	(2532)	X3D19	15/16 and 1	15 1/2	5 1/2	4.79
F8207G	(2536)	X3D50	1 1/16 and 1 1/8	17 1/4	6 1/4	5.25

Six in box

RATCHETING BOX WRENCHES

Sturdy and yet light in weight for easiest and longest use. All over chrome prevents rust and makes cleaning easy. Requires only 20 degrees of arc for continuous ratcheting.

Each			Opening size, in.	Type Opening Point	Length overall in.	Wt. each lbs.	▲Each
F8140G	(1192)	X2D30	3/8 x 7/16	6	5 1/2	1/4	$3.45
F8141G	(1193)	X2D83	1/2 x 9/16	6	6 3/4	1/2	4.25
F8142G	(1194)	X3D03	5/8 x 11/16	12	8	3/4	4.55
F8143G	(1195)	X3D43	3/4 x 7/8	12	9 1/4	7/8	5.15

One in box

www.roseantiquetools.com

P & C TOOLS
SQUARE DRIVE SOCKETS ATTACHMENTS AND SETS

Sockets hot broached from special alloy steel, precision machined for precise, accurate fit. Light, thin-walled, extremely tough and long wearing. Chamfered openings slip on nuts and bolt heads easily. Heavy chrome plate resists rust, wipes clean instantly. Square drive openings receive same accurate machining for positive drive and fit. Sizes plainly, permanently marked on each socket. Attachments for sockets skillfully designed, accurately forged from same strong alloy steel. Square drives precisely machined for accurate fit. Knurled handles insure easy, positive grip. Each attachment scientifically balanced. Friction ball on each square drive attachments hold socket securely—it can't slip or drop off.

¼ IN. MIDGET

MIDGET SOCKETS

¼ Inch

Designed to withstand the toughest demands of light to medium jobs. Ideal for ignition, carburetor, radio or TV assembly, maintenance and repair.

Length 1 Inch

6 Point

Each			Size, in.	Wt. Box, lbs.	▲Each
F7247G	(0206)	D4C3	3/16	1/8	$0.65
F7248G	(0207)	D4C3	7/32	1/8	.65
F7249G	(0208)	D4C3	1/4	1/8	.65
F7251G	(0209)	D4C3	9/32	3/16	.65
F7252G	(0210)	D4C3	5/16	3/16	.65
F7254G	(0211)	D4C3	11/32	3/16	.65
F7255G	(0212)	D4C3	3/8	1/4	.65
F7257G	(0214)	D4C3	7/16	5/16	.65

Six in box

8 Point

F7250G	(0208–S)	D4C6	1/4	1/8	.69
F7253G	(0210–S)	D4C6	5/16	1/4	.69
F7256G	(0212–S)	D4C6	3/8	5/16	.69

Six in box

12 Point Socket

F7258G	(0216)	D4C3	1/2	5/16	.65

Six in box

REVERSIBLE RATCHET

Ratchet wheel has 30 teeth to turn socket continuously with only 12° arc. Compact, chrome plated, ideal for small to medium jobs.

Length 4½ inches. Head thickness ⅜ inch.

Each			▲Each
F7265G	(0246)	X2D77	$4.15

Six in box. Wt. box 1⅛ lbs.

SLIDING T HANDLE

Length 4½ inches

Each			▲Each
F7270G	(0253)	D9C0	$1.35

Six in box. Wt. box ½ lb.

SPINNER HANDLE

Length 5⅞ inches

Each			▲Each
F7271G	(0259)	D9C7	$1.45

Six in box. Wt. box ¾ lb.

FLEX HANDLE

Length 5 9/16 inches

Each			▲Each
F7268G	(0251)	X1D70	$2.55

Six in box. Wt. box 1 lb.

EXTENSIONS

Each			Length, ins.	Weight Each, lbs.	▲Each
F7266G	(0247)	D6C6	3	⅜	$0.99
F7267G	(0248)	D7C9	6	⅝	1.19

One in box

www.roseantiquetools.com

P & C TOOLS

SQUARE DRIVE SOCKETS ATTACHMETS AND SETS

¼ IN. MIDGET

UNIVERSAL JOINT

Lengh 17/32 inch

Each			▲Each
F7269G	(0252)	**X1D63**	$2.45

Six in box. Wt. ¼ lb.

SPEEDER HANDLE

Length 16 inches

Each			▲Each
F7274G	(0280)	**X1D63**	$2.45

Six in box. Wt. box 2½ lbs.

SCREWDRIVERS

Each			Bit Size	Length, in.	Weight Box, lbs.	▲Each
F7259G	(0237)	**X1D03**	Phillips No. 1	1	⅛	$1.55
F7261G	(0238)	**X1D06**	Phillips No. 2	1	⅛	1.59
F7260G	(0237L)	**X1D06**	Phillips No. 1	2	¼	1.59
F7262G	(0238L)	**X1D06**	Phillips No. 2	2	¼	1.59
F7263G	(0244)	**D9C0**	3/16x.030 in.	1¾	¼	1.35
F7264G	(0245)	**D9C0**	¼x.030 in.	3	⅜	1.35

Six in box

ADAPTORS

Length 15/16 in. Adapts ⅜ in. drive attachments to ¼ in. drive sockets.

Each			▲Each
F7272G	(0271)	**D7C3**	$1.09

Six in box. Wt. box ⅜ lb.

Length 15/16 in. Adapts ¼ in. drive attachments to ⅜ in. drive sockets.

Each			▲Each
F7273G	(0272)	**D6C3**	$0.95

Six in box. Wt. box 3/16 lb.

SETS



¼ in. Drive

12 Piece

Consists of:

No.	Opening Size 6 Point Sockets, in.	No.	Opening Size 8 Point Sockets, in.
0207	7/32	0208S	¼
0208	¼	0210S	5/16
0209	9/32		
0210	5/16	0259	Spinner Handle
0211	11/32	0253	Sliding T Handle
0212	⅜	4795	1x2¼x6¾ in. Metal Box
0214	7/16		

Per Set			▲Per Set
F7246G	(0200A)	**X6D46**	$9.69

One set in metal box. Wt. box 1 lb.

www.roseantiquetools.com

P & C TOOLS

3/8 IN. DRIVE SOCKETS AND ATTACHMENTS

SOCKETS

Regular—3/8 inch

6 Point Hex

Square*

Each			Size, in.	Length, ins.	Weight Box, lbs.	Each
F8244G	(3009/S)	D5C9	9/32	15/16	1/4	$0.89
F8245G	(3010H)	D5C0	3/16	15/16	1/4	.75

12 Point

F8246G	(3012)	D5C0	3/8	15/16	1/4	.75
F8247G	(3014)	D5C0	7/16	15/16	1/4	.75
F8248G	(3016)	D5C0	1/2	15/16	1/4	.75
F8249G	(3018)	D5C0	9/16	1	1/2	.75
F8250G	(3020)	D5C3	5/8	1	1/2	.79
F8255G	(3022)	D5C7	11/16	1 1/16	3/4	.85
F8256G	(3024)	D5C7	3/4	1 1/16	1	.85
F8258G	(3028)	D6C6	7/8	1 3/16	1 1/8	.99

Six in box

*Fits drain plug on Dynaflow torque converter.

Extra Deep

12 Point

Each			Opening Size, in.	Length, ins.	Weight Box, lbs.	Each
F8261G	(3114)	D6C3	7/16	2 1/8	5/8	$0.95
F8262G	(3116)	D6C3	1/2	2 1/8	5/8	.95
F8263G	(3118)	D6C6	9/16	2 1/8	3/4	.99
F8269G	(3120)	D7C3	5/8	2 1/8	1	1.09
F8276G	(3122)	D7C7	11/16	2 1/8	1	1.15
F8270G	(3124)	D8C6	3/4	2 1/8	1 1/4	1.24

Six in box

SPECIAL SPARK PLUG SOCKET



6 Point

Opening size 13/16 in. Length 2 5/16 in.

Each			Each
F8271G	(3126HP)	X1D13	$1.69

Six in box. Wt. box 1 1/2 lbs.

UNIVERSAL SOCKET



12 Point

Each			Opening Size, in.	Length, ins.	Weight Box, lbs.	Each
F8408G	(3312)	X1D73	3/8	1 1/2	3/4	$2.59
F8409G	(3314)	X1D73	7/16	1 1/2	3/4	2.59
F8410G	(3316)	X1D73	1/2	1 1/2	3/4	2.59
F8411G	(3318)	X1D73	9/16	1 9/16	3/4	2.59
F8412G	(3320)	X1D73	5/8	1 3/4	3/4	2.59
F8413G	(3322)	X2D03	11/16	1 7/8	3/4	3.05
F8417G	(3324)	X2D03	3/4	2	1	3.05

Six in box

REVERSIBLE RATCHETS

New sturdier, compact design features a smaller head and fewer moving parts. Advancing and reversing accomplished with one dog. Enclosed head is simple and easy to disassemble for cleaning or replacing worn parts when necessary. Length 7 1/4 inches.

Each			▲Each
F8403G	(3209)	X3D59	$5.39

Six in box. Wt. box 1/2 lb.

FLEX HANDLE

Length 7 1/2 inches

Each			Each
F8406G	(3230)	X2D32	$3.49

Six in box. Wt. box 2 1/8 lbs.

SPEEDER HANDLE

Each			Each
F8405G	(3215)	X1D73	$2.59

Six in box. Wt. box 5 lbs.

SLIDING T HANDLE

Length 7 1/2 inches

Each			Each
F8407G	(3260)	X1D46	$2.19

Six in box. Wt. box 1 3/4 lbs.

www.roseantiquetools.com

P & C TOOLS

3/8 IN. DRIVE SOCKETS AND ATTACHMENTS

EXTENSIONS

Each			Length, ins.	Weight Box, lbs.	Each
F8272G	(3202)	**D9C0**	3	3/4	$1.35
F8273G	(3203)	**X1D13**	8	1 1/2	1.69
F8274G	(3205)	**X1D37**	12 1/2	2 1/4	2.05
F8275G	(3206)	**X1D79**	18 1/2	3 1/4	2.69

Six in box.

UNIVERSAL JOINTS

Length 1 3/4 inches

Each — Each

F8402G (3208) **X1D79**.................................... $2.69

Six in box. Wt. box 3/4 lb.

SCREWDRIVER BITS

Bit 5/16 inch. Length 2 1/2 inches.

Each — Each

F8404G (3211) **X1D06**.................................... $1.59

Six in box. Wt. box 1/2 lb.

ADAPTORS

Length 1 3/8 in. Diameter 13/16 in. Adapts 1/2 in. drive attacnments to 3/8 in. drive sockets.

Each — Each

F8259G (3071) **D9C0**.................................... $1.35

Six in box. Wt. box 3/4 lb.

Length 1 1/8 in. Diameter 3/4 in. Adapts 3/8 in. drive attachments to 1/2 in. drive sockets.

Each — Each

F8260G (3072) **D9C0**.................................... $1.35

Six in box. Wt. box 5/8 lb.

1/2 IN. DRIVE SOCKETS AND ATTACHMENTS

SOCKETS

1/2 inch—12 Points

For use on hex bolts or nuts.

Each			Size, in.	Length, ins.	Wt. Box, lbs.	Each
F6841G	(6012)	**D5C7**	3/8	1 3/8	3/4	$0.85
F6842G	(6014)	**D5C7**	7/16	1 3/8	3/4	.85
F6843G	(6016)	**D5C7**	1/2	1 3/8	3/4	.85
F7318G	(6018)	**D5C7**	9/16	1 3/8	3/4	.85
F6844G	(6019)	**D5C7**	19/32	1 3/8	7/8	.85
F6845G	(6020)	**D5C7**	5/8	1 3/8	1	.85
F6846G	(6021)	**D6C3**	21/32	1 3/8	1	.95
F6847G	(6022)	**D6C3**	11/16	1 3/8	1	.95
F6848G	(6024)	**D6C6**	3/4	1 3/8	1	.99
F6849G	(6025)	**D7C0**	25/32	1 3/8	1 1/8	1.05
F6850G	(6026)	**D7C3**	13/16	1 3/8	1 1/4	1.09
F6851G	(6028)	**D7C3**	7/8	1 3/8	1 1/2	1.09
F6852G	(6029)	**D8C3**	29/32	1 3/8	1 1/2	1.25
F6853G	(6030)	**D8C3**	15/16	1 1/2	1 3/4	1.25
F6854G	(6031)	**D8C3**	31/32	1 1/2	1 3/4	1.25
F6855G	(6032)	**D8C3**	1	1 1/2	2	1.25
F6856G	(6034)	**D9C3**	1 1/16	1 9/16	2 3/8	1.39
F6857G	(6036)	**X1D06**	1 1/8	1 5/8	2 1/2	1.59
F6858G	(6038)	**X1D13**	1 3/16	1 11/16	2 3/4	1.69
F6859G	(6040)	**X1D23**	1 1/4	1 3/4	4	1.85

Six in box

1/2 inch—12 Point Extra Deep

Each			Size, in.	Length, ins.	Wt. Box, lbs.	Each
F6872G	(6116)	**X1D06**	1/2	3 1/4	1 1/2	$1.59
F6873G	(6118)	**X1D06**	9/16	3 1/4	1 1/2	1.59
F6874G	(6120)	**X1D06**	5/8	3 1/4	1 1/2	1.59
F6875G	(6122)	**X1D06**	11/16	3 1/4	1 1/2	1.59
F6876G	(6124)	**X1D06**	3/4	3 1/4	2	1.59
F6877G	(6126)	**X1D13**	13/16	3 1/4	2 1/8	1.69
F6879G	(6128)	**X1D19**	7/8	3 1/4	2 1/2	1.79
F6880G	(6130)	**X1D33**	15/16	3 1/4	2 3/4	1.99
F6881G	(6132)	**X1D39**	1	3 1/4	3	2.09
F6882G	(6134)	**X1D39**	1 1/16	3 1/4	3 3/4	2.09
F6883G	(6136)	**X1D46**	1 1/8	3 1/4	4	2.19

Six in box

All sizes drilled for 5/16 in. bar No. 3207

SPECIAL SPARK PLUG SOCKET



Opening size 13/16 in. Length 3 1/4 in.

Each — Each

F6878G (6126HP) **X1D13**.................................... $1.69

Six in box. Wt. box 2 1/8 lbs.

www.roseantiquetools.com

P & C TOOLS

1/2 IN. DRIVE SOCKETS AND ATTACHMENTS

SOCKETS

8 Point

For use on square bolts or nuts.

Each			Opening Size, ins.	Length, ins.	Wt. Box, lbs.	▲Each
F6863G	(6082)	**D7C0**	1 3/8	3/4	3/4	$1.05
F6864G	(6084)	**D7C0**	7/16	1 3/8	3/4	1.05
F6865G	(6086)	**D7C0**	1/2	1 3/8	3/4	1.05
F6866G	(6088)	**D7C0**	9/16	1 3/8	1 1/8	1.05
F6867G	(6090)	**D7C3**	5/8	1 7/16	1 1/8	1.09
F6868G	(6092)	**D7C9**	11/16	1 1/2	1 1/2	1.19
F6869G	(6094)	**D9C3**	3/4	1 9/16	2 1/4	1.39
F6870G	(6096)	**X1D03**	13/16	1 9/16	2 3/8	1.55
F6871G	(6098)	**X1D13**	7/8	1 9/16	2 3/4	1.69

Six in box

REVERSIBLE RATCHETS

One dog controls motion, advancing or reversing. Finger-tip lever control. Thirty teeth on wheel allow continuous turning in only 12° arc. Double-edge dog prevents slipping. Enclosed head quickly and simply disassembled for cleaning or replacing worn or broken parts.

Length 10 1/4 inches

Each ▲Each
F6889G (6211) **X4D99**....................$7.49

Six in box. Wt. box 6 1/4 lbs.

SLIDING T-HANDLE

Head 1 3/4 inches. Bar 15 inches.

Each ▲Each
F6894G (6265) **X2D06**....................$3.09

Six in box. Wt. box 6 1/4 lbs.

FLEX HANDLES

Each			Length, ins.	Drilled for Cross Bar in.	Drilled for Cross Bar No.	Wt. Box, lbs.	▲Each
F6891G	(6230)	**X3D77**	11	3/8	6252	6 1/2	$5.65
F6892G	(6235)	**X4D06**	15	1/2	6201	9 1/2	6.09
F6893G	(6238)	**X4D26**	18 1/4	1/2	6201	11 1/4	6.39

Six in box

SPEEDER HANDLES



1/2 inch Drive

Shank length 8 inches, length overall 18 1/2 inches. Swing 4 inches.

Each ▲Each
F6890G (6215) **X2D97**....................$4.45

Six in box. Wt. box 8 3/4 lbs.

EXTENSIONS

Each			Length, ins.	Wt. Box, lbs.	▲Each
F6884G	(6202)	**X1D06**	2 1/2	1 1/2	$1.59
F6885G	(6203)	**X1D19**	5	2 1/2	1.79
F6886G	(6205)	**X1D66**	10 1/2	4	2.49
F6887G	(6206)	**X2D59**	18 1/2	6 3/4	3.89

Six in box

UNIVERSAL JOINT



Length 2 5/16 inches

Each ▲Each
F6888G (6208) **X2D17**....................$3.25

Six in box. Wt. box 1 lb.

ADAPTORS

Adapts 3/4 inch drive attachments to 1/2 inch drive sockets.

Length 1 7/8 inches

Each ▲Each
F6860G (6071) **X1D46**....................$2.19

Six in box. Wt. box 2 lbs.

Adapts 1/2 inch drive attachments to 3/4 inch drive sockets.

Length 1 9/16 inches

Each ▲Each
F6861G (6072) **X1D13**....................$1.69

Six in box. Wt. box 1 1/2 lbs.

DRAG LINK ADJUSTER

Length 1 3/8 inches

Each ▲Each
F6862G (6076) **D9C0**....................$1.35

Six in box. Wt. box 1 1/2 lbs.

"ROTAHEAD" FLEX HANDLE

Combines reversible ratchet with conventional hinge handle. Press head to release and drive plug rotates in either direction. New bit each 12 degrees.

Length 16 inches

Each ▲Each
F7316G (6257) **X4D83**....................$7.25

Six in box. Wt. box 9 1/2 lbs.

www.roseantiquetools.com

P & C TOOLS

¾ IN. DRIVE SOCKETS AND ATTACHMENTS

12 POINT SOCKETS

Each			Size, ins.	Inside Clearance, ins.	Lgth., ins.	Wt. Box, lbs.	▲Each
F7283G	(9328)	X1D43	7/8	1 1/8	2	1 7/8	$2.15
F7284G	(9330)	X1D43	15/16	1 3/8	2	2 3/8	2.15
F7285G	(9332)	X1D43	1	1 1/8	2	2 1/2	2.15
F7286G	(9334)	X1D43	1 1/16	1 1/8	2	2 7/8	2.15
F7287G	(9336)	X1D46	1 1/8	1 1/4	2 1/8	3 1/4	2.19
F7288G	(9338)	X1D53	1 3/16	1 1/4	2 1/8	3 1/2	2.29
F7289G	(9340)	X1D70	1 1/4	1 1/4	2 1/8	4 1/4	2.55
F7290G	(9342)	X1D90	1 5/16	1 1/4	2 1/8	4 1/4	2.85
F7291G	(9344)	X2D03	1 3/8	1 3/8	2 1/4	4 3/8	3.05
F7292G	(9346)	X2D19	1 7/16	1 3/8	2 1/4	5	3.29
F7293G	(9348)	X2D30	1 1/2	1 3/8	2 1/4	5 1/8	3.45
F7294G	(9350)	X2D57	1 9/16	1 1/2	2 3/8	5 1/2	3.85
F7295G	(9352)	X2D79	1 5/8	1 1/2	2 3/8	6 1/4	4.19

Six in box

F7296G	(9354)	X3D06	1 11/16	1 1/2	2 3/8	1 3/8	4.59
F7297G	(9356)	X3D06	1 3/4	1 3/4	2 1/2	1 1/2	4.59
F7298G	(9358)	X3D13	1 13/16	1 7/8	2 5/8	1 3/4	4.69
F7299G	(9360)	X3D46	1 7/8	1 7/8	2 5/8	2	5.19
F7300G	(9364)	X3D86	2	2	2 3/4	2 1/8	5.79
F7301G	(9368)	X4D63	2 1/8	2	2 3/4	2 1/2	6.95

One in box

REVERSIBLE RATCHET

Has ample leverage and power for tough jobs. Extra heavy, sharp teeth on dog and wheel assure positive action under rugged use. Operates in an arc of only 20° and its small, compact head gets into tight corners. Finger tip control on single dog reversed direction quickly.

Length 20 inches

Each			▲Each
F7279G	(9209)	X11D50	$17.25

One in box. Wt. box 4 lbs.

FLEX HANDLE



Length 20 inches

Each			▲Each
F7280G	(9238)	X6D63	$9.95

One in box. Wt. box 3 1/16 lbs.

L HANDLE

Length 17½ inches

Each			▲Each
F7281G	(9255)	X4D53	$6.79

Six in box. Wt. box 2½ lbs.

SLIDING T-HANDLE

Head 2¼ inches—Bar 18 inches

Each			▲Each
F7282G	(9265)	X4D39	$6.59

One in box. Wt. box 14⅛ lbs.

EXTENSIONS

Each			Length, ins.	Wt. Box, lbs.	▲Each
F7275G	(9203)	X2D23	5	6½	$3.35
F7276G	(9204)	X2D73	8	8½	4.09
F7277G	(9206)	X3D86	16	14	5.79

Six in box

UNIVERSAL JOINT

Length 3¾ inches

Each			▲Each
F7278G	(9208)	X6D17	$9.25

Six in box. Wt. box 6 lbs.

www.roseantiquetools.com

P & C TOOLS

SPECIAL PURPOSE TOOLS

LINING UP BARS

Forged from special alloy steel heat treated for extra strength.

Each			Stock Size, in.	Length, in.	Wt. Box, lbs.	Each
F1198G	(101)	X1D39	½	14	4	$2.09
F1209G	(102)	X2D10	⅜	18	8	3.15
			Six in box			
F1210G	(103)	X2D79	¾	24	2 5/16	4.19
			One in box			

ALL ANGLE DRILL



Both the chuck and handle can be turned. Chuck swings in a 270° arc, and has spring lock that enables changing of angles with flip of thumb. Handle moves in 190° arc at right angles, to chuck which gives even greater versatility. Adjusting screw on handle permits quick change in handle settings.

Length 11 inches

Each			Each
F7314G	(1370)	X3D30	$4.95

Six in box. Wt. box 9 lbs.

SCREW AND PIPE EXTRACTORS



(OPEN STOCK)

Each			Small End in.	Lgth. ins.	U.S.S. Screw Size ins.	Drill Size ins.	Min. Pipe Size ins.	Wt. Box ozs.	Each
F7302G	(9521)	D7C0	⅛	2 5/16	¼, 5/16	⅛	...	1½	$1.05
F7303G	(9522)	D7C3	11/64	2⅝	⅜	3/16	...	1½	1.09
F7304G	(9523)	D8C3	13/64	2⅞	7/16	15/64	⅛	3	1.25
F7305G	(9524)	D9C0	19/64	3	½, 9/16	5/16	¼	6	1.35
F7306G	(9525)	X1D06	11/32	3¼	⅝	⅜	⅜	12	1.59
F7308G	(9525B)	X1D46	27/64	3⅞	¾	15/32	...	⅛	2.19
F7307G	(9526)	X1D79	½	4½	⅞	9/16	½	1½	2.69
F7309G	(9527)	X1D93	19/32	4⅞	1, 1⅛	21/32	½	1¾	2.89
F7310G	(9528)	X2D17	23/32	5⅜	1¼, 1⅜	13/16	¾	4	3.25
F7311G	(9529)	X2D93	31/32	5½	1½	1 1/16	1	6¾	4.39

Six in box

www.roseantiquetools.com